

Department: Medical Center Wide – 2000's		Policy #: MCW 2375
Section: Direct Patient Care/Emergency Procedures	Effective Date: 5/11	Page: Page 1 of 13
Title: Code Stroke Procedure	Review/Revision Date: 11/13	
Accountable Dept./Committee: Hospital Services Committee Approved by: Medical Executive Committee		

Workplace Safety Message: Work smarter not harder; use assistive devices available in your area.

Attachments:

- Attachment A - Code Stroke Log
- Attachment B - ED Code Stroke Evaluation Form
- Attachment C - Inpatient Code Stroke Evaluation Form

Related Policies:

- MCW P&P 2148 - Rapid Response Process
- MCW P&P 2824 – South Bay High Alert Medication

Purpose:

To ensure timely assessment and treatment of patients exhibiting any of the following physiologic changes which are consistent with acute stroke:

- Sudden numbness or weakness in the face, arm, or leg, especially on one side of the body.
- Sudden confusion or trouble speaking or understanding
- Sudden trouble seeing with one or both eyes
- Sudden trouble with walking, balance, or coordination
- Sudden onset of severe headache with no known cause

Policy

Sections

A: Emergency Department

B: In-patient Units

A. Initiation of CODE STROKE in the Emergency Department (ED)

1. The ED Physician may activate CODE STROKE in the ED as follows:
 - a. Patients who are exhibiting signs of acute stroke upon arrival at the ED
 - I. Triage Nurse assigns patient an Emergency Services Index (ESI) level of 2 and immediately notifies ED Physician and Charge Nurse.
 - II. Triage Nurse immediately rooms patient, initiates cardiac monitoring, and reports off to Primary Nurse.
 - b. Patients who exhibit signs of acute stroke after arrival at the ED
 - I. Primary Nurse immediately notifies ED Physician and Charge Nurse that patient is suddenly exhibiting signs of acute stroke.

Title:

Code Stroke Procedure

Policy #: MCW

2375

Page 2 of 13

- c. ED Physician immediately evaluates the patient (including time patient was last known to be well), may consult with the on-call Neurologist, and determine whether or not the patient is having a stroke and is a potential candidate for thrombolytics. If the ED Physician determines that the patient is a potential candidate for thrombolytic therapy with t-PA, (s)he immediately initiates the CODE STROKE protocol. (If the ED Physician determines that the patient is either not having a stroke or is not a candidate for thrombolytics, then the ED Physician decides on the appropriate interventions, treatments, and level of care for the patient, and the CODE STROKE protocol is NOT initiated. The ED Physician will document in Health Connect the reason(s) that the patient was excluded from the protocol).

2. CODE STROKE in the ED Protocol

- a. Upon being notified of the CODE STROKE, members of the ED CODE STROKE Response Team initiate their assigned duties as follows (Team members below are not listed in order of priority). All team members will simultaneously initiate their individual duties, provided there is a physician order, when required:
 - I. ED PHYSICIAN
 - a. Initiates Neurology consult, documenting consult time in Progress Notes.
 - b. Initiates stroke order set, including a non-contrast CT scan of the head. (The ED Physician's call-back number must be noted within the "order comments" field in Health Connect.)
 - c. Reviews test results. The goal is to have EKG, chest x-ray, lab tests, and head CT reviewed within 45 minutes from time of order. Documents time of CT scan reading.
 - d. Completes required Health Connect order sets, including order for t-PA (Alteplase), provided patient is a candidate for t-PA and does not meet any exclusion criteria.
 - e. Notifies patient's family of change in condition, if applicable.
 - f. Transfers patient to indicated level of care and communicates with accepting physician(s).
 - II. ED CHARGE NURSE
 - a. Immediately dials x3300 and notifies Hospital Operator of "CODE STROKE Emergency Department".
 - b. Ensures that ED Physician has entered orders.
 - c. Contacts CT to notify them of patient's name and MRN.
 - d. Ensures House Supervisor has secured a critical care bed.
 - e. Notifies Pharmacist of pending CODE STROKE t-PA candidate in the ED.
 - f. Assists Primary Nurse and House Supervisor with their duties, as needed.

Title:
Code Stroke Procedure

Policy #:
Page 3 of 13

III. HOSPITAL OPERATOR

- a. Pages ED CODE STROKE Response Team members, as per CODE STROKE Emergency Panel Beepers Table (below) via long term beepers and announces three times via overhead intercom, "CODE STROKE, Emergency Department."

CODE STROKE Emergency Panel Beepers

RESPONDER	CODE STROKE IN EMERGENCY DEPT	CODE STROKE IN IN-PATIENT UNIT
ISD or IOD*		X
ICU RN		X
TRANSPORTER		X
LAB TECH		X
CT TECH	X	X
PHARMACIST	X	X
HOUSE SUPERVISOR / DESIGNEE	X	X
NEUROLOGIST	X	X
STROKE PROGRAM COORDINATOR	X	X

* In-Service Duty, Internist On duty

IV. NEUROLOGIST

- a. Responds either in person or by phone to the ED Physician within 15 minutes of being paged.
- b. Provides neurological consultation.

V. ED PRIMARY NURSE

- a. Assesses patient immediately, including mNIHSS stroke scale and documents in Health Connect.
- b. Begins Stroke Log.
- c. Obtains patient's weight and notifies pharmacy immediately.
- d. Draws blood for STAT CODE STROKE lab panels. This is consistent with the "rainbow" blood draws that take place on all urgent ER patients at the beginning of the ER visit:
 - i. CBC w/ Platelets (1 lavender top tube)
 - ii. Blood Chemistries (2 green top tubes)
 - iii. PT/INR and APTT (1 blue top tube)
- e. Places CODE STROKE blood tubes in purple CODE STROKE bag and sends to lab. (A note must accompany the bag with the words "MEDICAL EMERGENCY - CODE STROKE." Blood tests available for review by MD within 45 minutes from time of order)
- f. Initiates two normal saline IV infusions, via two insertion sites, each infusing at TKO. (CT scan and/or t-PA infusion should not be delayed while attempting second IV insertion. Second IV insertion may be delayed until after CT scan has been performed and may be attempted by a second nurse while t-PA infusion is being initiated, if necessary).
- g. Performs 12 lead EKG and hands to ED Physician for interpretation.
- h. Accompanies patient to and from Radiology.

Title: Code Stroke Procedure	Policy #: Page 4 of 13
--	----------------------------------

- i. Completes bedside swallow screen (using Doc Flowsheet #973 in Health Connect), keeping patient NPO until swallow screen has been passed.
 - j. Follows up on all labs and tests that have been ordered, in an attempt to ensure that results are given promptly to ED Physician.
 - k. Notifies pharmacist as soon as t-PA order has been written and ED Physician has confirmed that nurse should begin administration. Obtain t-PA from pharmacist.
 - l. Administers t-PA (Alteplase) and initiates post t-PA monitoring. (See High Alert Medication Safety Practices Policy, referenced at the beginning of this policy).
 - m. Completes Stroke Log
 - n. Documents all treatments and interventions, including the patient's response, in the medical record (Health Connect).
 - o. Provides warm handoff and report to critical care RN prior to transport, including details of post t-PA monitoring.
 - p. Accompanies patient to ICU, if patient is being admitted to this hospital or hands off to ambulance personnel, if patient is being transferred to another facility.
- VI. CT TECHNICIAN
- a. Prepares for STAT non-contrast CT scan of the head. Notifies ED as soon as ready for patient.
 - b. Notifies Radiologist (or Tele-Radiology after hours) of pending CODE STROKE patient.
 - c. Completes STAT non-contrast CT scan of the head.
 - d. Immediately transmits completed scan to Radiologist (or Tele-Radiologist) for STAT interpretation.
- VII. RADIOLOGIST
- a. Reviews CODE STROKE STAT non-contrast CT scan of the head and calls the ED Physician with the wet reading interpretation.
 - b. Documents in Health Connect Image Report the time that the results were discussed with the ED Physician. Results reported within 45 minutes from time of order
- VIII. HOUSE SUPERVISOR / DESIGNEE:
- a. Reports to bedside of ED CODE STROKE patient.
 - b. Secures an appropriate critical care bed by one of the following means:
 - i. Collaborates with the ICU Charge Nurse to secure a critical care bed at this facility.
 - ii. Collaborates with ED Discharge Coordinators to secure a critical care bed at another facility.
 - c. Collaborates with ED Charge Nurse to ensure adequate nurse resources at bedside to assist the Primary Nurse.
 - d. Completes Code Stroke Evaluation Form and submits to Stroke Program Coordinator.
- IX. PHARMACIST
- a. Watches for STAT order in Health Connect for t-PA (Alteplase).
 - b. Prepares t-PA according to pharmacy policy. (See High Alert Medication Safety Practices Policy, referenced at the beginning of this policy).
 - c. Mixes t-PA and delivers to the bedside, as soon as Primary Nurse has contacted pharmacy that patient is cleared to receive t-PA.

- d. During a Health Connect downtime, **verbal orders** will not be accepted unless given by the CODE STROKE neurologist.
- X. TRANSPORTATION AIDE
 - a. Reports to the bedside to assist as needed. (ED Transportation Aides are generally available from 9am to 2am. Hospital Transportation Aides or ED Techs may assist if an ED Transportation Aide is not available. House Supervisor and ED Charge Nurse will decide on who will be used in this role on a case by case basis).
- XI. STROKE PROGRAM COORDINATOR
 - a. Reports to the bedside of CODE STROKE patient.
 - b. Assists Primary Nurse with the care of the patient.

B. Initiation of CODE STROKE in an In-Patient Unit

1. An in-patient Physician will activate CODE STROKE in an in-patient unit as follows:
 - a. Patients who suddenly exhibit signs of an acute stroke in the ICU:
 - I. Primary Nurse immediately notifies the Intensivist, if available.
 - II. If the Intensivist is not available, the Primary Nurse activates the “Rapid Response” process, by dialing x3300.
 - b. Patients who suddenly exhibit signs of an acute stroke in a unit other than ICU.
 - I. Primary Nurse immediately activates the “Rapid Response” process, by dialing x3300.
 - II. The ICU RN assesses the patient and contacts ISD or IOD.
 - c. Responding physician (Intensivist, ISD, or IOD) immediately evaluates the patient (including time patient was last known to be well), may consult with the on-call Neurologist, and determines whether or not the patient is having a stroke and is a potential candidate for thrombolytics. If the responding physician determines that the patient is a potential candidate for thrombolytic therapy with t-PA, (s)he immediately initiates the CODE STROKE protocol. (If the responding physician determines that the patient is either not having a stroke or is not a candidate for thrombolytics, then the responding physician decides on the appropriate interventions, treatments, and level of care for the patient, and the CODE STROKE protocol is NOT initiated. The responding physician will document in Health Connect the reason(s) that the patient was excluded from the protocol).

2. CODE STROKE in an In-patient Unit Protocol

- a. Upon being notified of the CODE STROKE, members of the In-Patient CODE STROKE Response Team initiate their assigned duties as follows (Team members below are not listed in order of priority). All team members will simultaneously initiate their individual duties, provided there is a physician order, when required:
 - I. RESPONDING PHYSICIAN
 - a. Initiates Neurology consult, documenting consult time in Progress Note.
 - b. Initiates stroke order set, including a non-contrast CT scan of the head. (The responding physician’s call-back number must be noted within the “order comments” field in Health Connect.)
 - c. Reviews test results. The goal is to have EKG, chest x-ray, lab tests, and head CT reviewed within 45 minutes from time of order. Documents time of CT scan reading.
 - d. Completes required Health Connect order sets, including order for t-PA (Alteplase), provided patient is a candidate for t-PA and does not meet any exclusion criteria.

Title:
Code Stroke Procedure

Policy #:
Page 6 of 13

- e. Transfers patient to indicated level of care, if necessary, and communicates with accepting physician(s).
- f. Notifies patient's family of change in condition.
- II. IN-PATIENT PRIMARY NURSE
 - a. Immediately notifies Hospital Operator of "CODE STROKE.
 - b. Contacts CT to notify them of patient's name and MRN.
 - c. Assesses patient immediately, including mNIHSS stroke scale and documents in Health Connect.
 - d. Begins Stroke Log.
 - e. Ensures House Supervisor has secured a critical care bed.
 - f. Verifies patient's weight in Health Connect and notifies pharmacy immediately if any discrepancy between weight in Health Connect and actual weight.
 - g. Ensures that responding physician has entered orders.
 - h. Ensures Lab Tech draws blood for STAT CODE STROKE lab panels.
 - i. Ensures EKG Tech or another staff member performs 12 lead EKG and hands to responding physician for interpretation.
 - j. Hands off patient to ICU Nurse, including Stroke Log.
- III. HOSPITAL OPERATOR
 - a. Pages In-Patient CODE STROKE Response Team members, as per CODE STROKE Emergency Panel Beepers Table (below) via long term beepers and announces three times via overhead intercom, "CODE STROKE."

CODE STROKE Emergency Panel Beepers

RESPONDER	CODE STROKE IN EMERGENCY DEPT	CODE STROKE IN IN-PATIENT UNIT
ISD or IOD*		X
ICU RN		X
TRANSPORTER		X
LAB TECH		X
CT TECH	X	X
PHARMACIST	X	X
HOUSE SUPERVISOR / DESIGNEE	X	X
NEUROLOGIST	X	X
STROKE PROGRAM COORDINATOR	X	X

* In-Service Duty, Internist On duty

- IV. NEUROLOGIST
 - a. Responds either in person or by phone to the responding physician within 15 minutes of being paged.
 - b. Provides neurological consultation.
- V. HOUSE SUPERVISOR/DESIGNEE:
 - a. Reports to bedside of in-patient CODE STROKE patient.
 - b. Secures an appropriate critical care bed by one of the following means:
 - i. Collaborates with the ICU Charge Nurse to secure a critical care bed at this facility.
 - ii. Prepares to secure a critical care bed at another facility, if needed.

Title: Code Stroke Procedure	Policy #: Page 7 of 13
--	----------------------------------

- c. Collaborates with in-patient nursing staff to ensure adequate nurse resources at bedside to assist the Primary Nurse.
- d. Assists Primary Nurse with care, as needed.
- e. Completes Code Stroke Evaluation Form and submits to Stroke Program Coordinator.

VI. ICU NURSE

- a. Assumes care of CODE STROKE patient.
- b. Ensures that patient is on cardiac monitoring and continuously monitors vital signs.
- c. Ensures two normal saline IV infusions, via two insertion sites, are in place, each infusing at TKO or as ordered. (CT scan and/or t-PA infusion should not be delayed while attempting second IV insertion. Second IV insertion may be delayed until after CT scan has been performed and may be attempted by a second nurse while t-PA infusion is being initiated, if necessary.
- d. Ensure CODE STROKE labs and EKG have been done.
- e. Accompanies patient to and from Radiology and remains with patient.
- f. Completes bedside swallow screen (using Doc Flowsheet #973 in Health Connect), keeping patient NPO until swallow screen has been passed.
- g. Follows up on all labs and tests that have been ordered, in an attempt to ensure that results are given promptly to the ordering physician.
- h. Ensure 12 lead EKG done and hands to Physician for interpretation.
- i. Notifies pharmacist as soon as t-PA order has been written and responding physician has confirmed nurse should begin administration. Obtain t-PA from pharmacist.
- j. Administers t-PA (Alteplase) and initiates post t-PA monitoring. (See High Alert Medication Safety Practices Policy, referenced at the beginning of this policy).
- k. Completes Stroke Log
- l. Documents all treatments and interventions, including the patient's response, in the medical record (Health Connect).

VII. LABORATORY TECHNICIAN

- a. Reports to bedside of CODE STROKE patient.
- b. Draws blood for STAT CODE STROKE lab panels.
 - i. CBC w/ Platelets (1 lavender top tube)
 - ii. Blood Chemistries (2 green top tubes)
 - iii. PT/INR and APTT (1 blue top tube)
- c. Places CODE STROKE blood tubes in purple CODE STROKE bag. (A note will accompany the bag with the words "MEDICAL EMERGENCY - CODE STROKE."). Blood tests available for review by MD within 45 minutes from time of order

VIII. CT TECHNICIAN

- a. Prepares for STAT non-contrast CT scan of the head. Notifies nursing unit as soon as ready for patient.
- b. Notifies Radiologist (or Tele-Radiology after hours) of pending CODE STROKE patient.
- c. Completes STAT non-contrast CT scan of the head.
- d. Immediately transmits completed scan to Radiologist (or Tele-Radiologist) for STAT interpretation.

IX. RADIOLOGIST

Title:

Policy #:

Code Stroke Procedure

Page 8 of 13

- a. Reviews CODE STROKE STAT non-contrast CT scan of the head and calls the ordering physician with the wet reading interpretation.
- b. Documents in Health Connect Image Report the time that the results were discussed with the ordering physician.

X. PHARMACIST

- a. Watches for STAT order in Health Connect for t-PA (Alteplase).
- b. Prepares t-PA according to pharmacy policy. (See High Alert Medication Safety Practices Policy, referenced at the beginning of this policy).
- c. Mixes t-PA and delivers to the bedside, as soon as Primary Nurse has advised that patient is ready to receive t-PA.
- d. During a Health Connect downtime, **verbal orders** will not be accepted unless given by the CODE STROKE neurologist.

XI. TRANSPORTATION AIDE

- a. Reports to the bedside to assist as needed.

XII. STROKE PROGRAM COORDINATOR

- a. Reports to the bedside of CODE STROKE patient.
- b. Assists Primary Nurse with the care of the patient.

Title: Code Stroke Procedure	Policy #: Page 9 of 13
--	---------------------------

Attachment A - Code Stroke Log



CODE STROKE LOG

Name: _____ MR#: _____
 Date of Admission: _____ Patient Location: _____

Last time known well (date/time): _____
 Onset of stroke symptoms (date/time): _____

Your Name (print): _____

ED Stroke	Comments	Response time
ED arrival time		
ED physician at bedside		
Stroke Team Activation		
Stroke Team Arrival		
a. (name)		
b. (name)		
c. (name)		
Orders(s)		
a. CT order/result		/
b. Lab order/result		/
c. EKG order/result		/
NIHSS time done/result		/
Swallow Screen: time done	<input type="checkbox"/> pass <input type="checkbox"/> fail, NPO	
Antiplatelet given: time done		
Neurologist notified		

Title: Code Stroke Procedure	Policy #: Page 10 of 13
--	----------------------------

Alteplase ordered		
Alteplase baseline VS/neuro's		
Alteplase administered: start time		
Alteplase VS Q15" during infusion		

Inpatient Stroke	Comments	Response time
Stroke team Activation		
Stroke Team Arrival		
a. (name)		
b. (name)		
c. (name)		
Order(s)		
a. CT order / result		/
b. Lab order / result		/
c. EKG order/ result		/
d. Other		/
NIHSS time done/result		/
Swallow Screen: time done	<input type="checkbox"/> pass <input type="checkbox"/> fail, NPO	
Antiplatelet given: time done		
Alteplase ordered		
Alteplase baseline VS/neuro's		
Alteplase administered: start time		
Alteplase VS Q15" during infusion		

Title:

Policy #:

Code Stroke Procedure

Page 11 of 13

Attachment B - ED Code Stroke Evaluation Form

Kaiser Permanente
South Bay Medical Center
ED CODE STROKE Evaluation

To be completed by supervisor responding to code stroke

Patient Name			MRN		
Location of code stroke	Date of code stroke	Time Called	Time Ended	Time Stroke OS Started	
Patient arrived from? [] home/walked in [] clinic [] ambulance		Time of notification (if prenotification from clinic or EMS)			ESI Level

CODE STROKE NOTIFICATION	Overhead page / location clear CODE STROKE beepers activated	[] yes [] no [] yes [] no	Comments:
LAB TESTS	Samples drawn before pt went to CT Results reported within 45 min. of order	[] yes [] no [] yes [] no	Comments:
CT	CT ready to receive pt within 10 min. Results reported within 45 min. of order	[] yes [] no [] yes [] no	Comments:
EKG	Reviewed by MD within 45 min. of order	[] yes [] no	Comments:
CXR	X-ray Tech arrived within 5 min. of pt return from CT Reviewed by MD within 45 min. of order	[] yes [] no [] yes [] no	Comments:
CONSULTATION	Neurologist responded / called back within 15 min. of being paged by MD Neurosurgeon responded / called back within 15 min. of being paged by MD	[] yes [] no [] n/a [] yes [] no [] n/a	Comments:
SWALLOW SCREEN	Completed by RN-Flowsheet#973 in HC Pt NPO until swallow screen passed	[] yes [] no [] yes [] no	Comments:
IPA	Delivered by Pharmacist within 10 min. of order V/S, basic neuro, and mNHISS assessment during administration	[] yes [] no [] n/a [] yes [] no [] n/a	Comments:
DISPOSITION	[] Stabilized [] Transferred to _____ [] Expired		
EVALUATION	Code Stroke team performed in orderly manner Opportunity to improve performance identified Problems identified	[] yes [] no [] yes [] no [] yes [] no	Comments:
Name of Supervisor Evaluating Code Stroke		Signature	

SEND COMPLETED FORM TO ZOHREH MIRSAIDI, STROKE COORDINATOR IN NURSING ADMINISTRATION.

Title:

Code Stroke Procedure

Policy #:

Page 12 of 13

Attachment C - Inpatient Code Stroke Evaluation Form

Title: Code Stroke Procedure	Policy #: Page 13 of 13
--	-----------------------------------

Kaiser Permanente
South Bay Medical Center
Inpatient CODE STROKE Evaluation

To be completed by supervisor responding to code stroke

Patient Name			MRN	
Location of code stroke	Date of code stroke	Time Called	Time Ended	Time Stroke OS Started
If inpatient, was Rapid Response activated prior to CODE STROKE? Comments:			Time Rapid Response called	

CODE STROKE NOTIFICATION	Overhead page / location clear <input type="checkbox"/> yes <input type="checkbox"/> no CODE STROKE beepers activated <input type="checkbox"/> yes <input type="checkbox"/> no	Comments:
CODE STROKE RESPONDERS	ICU RN arrived within 5 min. <input type="checkbox"/> yes <input type="checkbox"/> no Transporter arrived within 5 min. <input type="checkbox"/> yes <input type="checkbox"/> no DA / House Supervisor arrived <input type="checkbox"/> yes <input type="checkbox"/> no	Comments:
LAB	Phlebotomist arrived within 5 min. <input type="checkbox"/> yes <input type="checkbox"/> no Samples drawn before pt went to CT <input type="checkbox"/> yes <input type="checkbox"/> no Results reported within 45 min. of order <input type="checkbox"/> yes <input type="checkbox"/> no	Comments:
CT	CT ready to receive pt within 10 min. <input type="checkbox"/> yes <input type="checkbox"/> no Results reported within 45 min. of order <input type="checkbox"/> yes <input type="checkbox"/> no	Comments:
EKG	EKG Tech / Aide arrived within 5 min. <input type="checkbox"/> yes <input type="checkbox"/> no Reviewed by MD within 45 min. of order <input type="checkbox"/> yes <input type="checkbox"/> no	Comments:
CXR	X-ray Tech arrived within 5 min. of pt return from CT <input type="checkbox"/> yes <input type="checkbox"/> no Reviewed by MD within 45 min. of order <input type="checkbox"/> yes <input type="checkbox"/> no	Comments:
CONSULTATION	Neurologist responded / called back within 15 min. of being paged by MD <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> n/a Neurosurgeon responded / called back within 15 min. of being paged by MD <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> n/a	Comments:
SWALLOW SCREEN	Completed by RN-Flowsheet#973 in HC <input type="checkbox"/> yes <input type="checkbox"/> no Pt NPO until swallow screen passed <input type="checkbox"/> yes <input type="checkbox"/> no	Comments:
tPA	Delivered by Pharmacist within 10 min. of order <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> n/a V/S, basic neuro, and mNHISS assessment during administration <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> n/a	Comments:
DISPOSITION	<input type="checkbox"/> Stabilized <input type="checkbox"/> Transferred to _____ <input type="checkbox"/> Expired	
EVALUATION	Code Stroke team performed in orderly manner <input type="checkbox"/> yes <input type="checkbox"/> no Opportunity to improve performance identified <input type="checkbox"/> yes <input type="checkbox"/> no Problems identified <input type="checkbox"/> yes <input type="checkbox"/> no	Comments:
Name of Supervisor Evaluating Code Stroke		Signature

SEND COMPLETED FORM TO ZOHREH MIRSAIDI, STROKE COORDINATOR IN NURSING ADMINISTRATION.