



KAISER PERMANENTE®

DOCUMENT NUMBER:
DOCUMENT TITLE:
DOCUMENT NOTES:

LOCATION:	VERSION:
DOC TYPE:	STATUS:

EFFECTIVE DATE:	NEXT REVIEW DATE:
RELEASE DATE:	EXPIRATION DATE:

AUTHOR:	PREVIOUS NUMBER:
OWNER:	CHANGE NUMBER:

Intermittent Testing for Non-waived Test System

Purpose This document defines the requirements that must be met when an intermittent test is put back into production in the SCPMG Laboratory Systems.

Scope This policy applies to non-waived tests that are taken out of production for a period of time, and then reintroduced to production. The policy does not apply to waived tests.

Definition	<table border="1"><tr><td>Intermittent Testing</td><td>Tests that are taken out of production for a time (for example, seasonal testing). A test is considered to be taken out of production when (1) patient testing is not offered AND (2) proficiency testing or alternative assessment, as applicable, is suspended.</td></tr></table>	Intermittent Testing	Tests that are taken out of production for a time (for example, seasonal testing). A test is considered to be taken out of production when (1) patient testing is not offered AND (2) proficiency testing or alternative assessment, as applicable, is suspended.
Intermittent Testing	Tests that are taken out of production for a time (for example, seasonal testing). A test is considered to be taken out of production when (1) patient testing is not offered AND (2) proficiency testing or alternative assessment, as applicable, is suspended.		

Policy When a test system is put back into production in the SCPMG Laboratory Systems, the following requirements must be met:

1. Proficiency testing or alternative assessment performed within 30 days prior to restarting patient testing
2. Method performance specifications verified within 30 days prior to restarting patient testing
3. Competency assessed for testing personnel within 12 months prior to restarting patient testing

For tests for which proficiency testing is required by CAP, if a proficiency testing challenge is not offered during the 30 day period prior to restarting patient testing, an alternative assessment for the test may be performed. In such a case, the SCPMG Laboratory Systems must participate in the next scheduled proficiency testing event.

Non-Controlled Documents The following non-controlled document supports this policy.

- College of American Pathologists, All Common Checklist
-

Continued on next page

Intermittent Testing for Non-waived Test System, Continued

Controlled Documents

The following controlled documents support this policy.

Policy
QM 5.5.2.100 version 02 – Validation Policy for FDA Approved Non-waived Test System,
QM 5.6.4.100 version 01 – Proficiency Testing
QM 5.6.4.101 version 01 – Alternate Proficiency Testing

Author(s)

Maureen Ahler, SCPMG Quality Systems Leader
Emeline Santos, SCPMG Quality Assurance Coordinator

Intermittent Testing for Non-waived Test System, Continued

Reviewed and approved by (for Medical Center Area Approval Only):

SIGNATURE	DATE
Name: _____ Operations Director, Area Laboratory	
Name: _____ Laboratory Director	

Signature Manifest

Document Number: SCPMG QMS - 0021

Revision: 3

Title: Intermittent Testing for Non-waived Test System

All dates and times are in Pacific Standard Time.

New Lab Director - QMS

Initial Approval

Name/Signature	Title	Date	Meaning/Reason
Maureen Ahler (K083442)	Quality Systems Leader	06 Mar 2017, 09:30:47 PM	Approved
Fred Ung (K057175)	SCPMG LABORATORY QCD	13 Mar 2017, 09:02:31 AM	Approved

Final Approval

Name/Signature	Title	Date	Meaning/Reason
David Quam (P092597)	Rgnl Mg Admn-Pmg Executive	23 Mar 2017, 10:13:59 AM	Approved
Gary Gochman (P091953)	SCPMG Laboratories AP Dir	17 May 2017, 12:08:05 PM	Approved

Set Effective Date

Name/Signature	Title	Date	Meaning/Reason
Matthew Jones (F754627)	Systems Consultant		
Maureen Ahler (K083442)	Quality Systems Leader	17 May 2017, 02:51:53 PM	Approved