Beaumont	Origination	7/8/2020	Document Contact	Michelle Alexander: Medical Technologist Lead
	Last Approved	10/22/2024		
	Effective	10/22/2024		
	Last Revised	10/22/2024	Area	Laboratory-
	Next Review	10/22/2026		Chemistry
			Applicability	Dearborn, Taylor, Trenton, Wayne

#### **Chemistry Glomerular Filtration Rate**

Document Type: Procedure

Status ( Active ) PolicyStat ID ( 16321969

## I. PURPOSE AND OBJECTIVE:

- A. The glomerular filtration rate (GFR) result is a calculation utilizing the CKD-EPI equation which uses three variables: serum creatinine concentration, age of patient, and gender of patient. The limits of the calculation are as follows: patient gender must be known; age must be known; age must be 18 to 105 years; serum creatinine value must be greater than or equal to 0.1 milligrams per deciliter (mg/dL).
- B. Although kidney disease cannot be cured, the early detection and management of chronic kidney disease may decrease the risk of complications and prevent kidney failure. Glomerular filtration rate is the most accurate indicator of kidney function in both healthy and diseased patient populations. The glomerular filtration rate is reduced before the onset of symptoms of kidney failure and replacement therapy is indicated when the value is below 15 mL/min/ 1.73m<sup>2</sup>.

### **II. PROCEDURE:**

- A. The GFR calculation is based on the following CKD-EPI equation:
  - 1. CKD-EPI Equation: GFR =  $142 \text{ x} \min (S_{cr}/k, 1)^{\alpha} \text{ x} \max (S_{cr}/k, 1)^{-1.200} \text{ x} 0.9938^{Age} \text{ x} 1.012$  (if female)
    - a. where:  $S_{cr}$  is serum creatinine in mg/dL.
    - b. K is 0.7 for females and 0.9 for males.
    - c.  $\alpha$  is -0.241 for females and -0.302 for males.

- d. Min indicates the minimum of  $S_{cr}/k$  or 1.
- e. Max indicates the maximum of S<sub>cr</sub>/k or 1.
- f. Age (years)
- B. Results are reported in mL/min/1.73 m<sup>2</sup>.
- C. GFR calculations are performed in the Abbott Instrument Manager for downtime purposes.
- D. GFR result will be calculated in the LIS.

### **III. REFERENCE RANGE:**

>60 mL/min/1.73 m<sup>2</sup>

# **IV. STAGES OF KIDNEY DISEASE:**

- A. **G1:** Normal GFR Greater than 90 mL/min/1.73m<sup>2</sup>
- B. **G2:** Mildly decreased GFR 60-89 mL/min/1.73m<sup>2</sup>
- C. G3a: Mildly to moderately decreased GFR 45-59 mL/min/1.73m<sup>2</sup>.
- D. G3b: Moderately to severely decreased GFR 30-44 mL/min/1.73m<sup>2</sup>.
- E. **G4:** Severely decreased GFR 15-29 mL/min/1.73m<sup>2</sup>.
- F. **G5:** Kidney failure GFR less than 15 mL/min/1.73m<sup>2</sup>.

Please note that the result is normalized to 1.73 m<sup>2</sup>, an accepted average adult Body Surface Area (BSA). Therefore, the result may not be valid for patients with very abnormal body composition (e.g. very muscular patients with a high BSA may have their GFR under-estimated, and the converse for obese patients) and for those with limb amputations (whose low muscle mass would result in an over-estimation of their GFR). eGFR is most useful for patients with stable kidney function.

## **V. PROCEDURE NOTES:**

- A. For patients less than 18 years old, a serum Enzymatic Creatinine is assayed and reported along with the comment "GFR not calculated for age < 18 years".
- B. For creatinine results that are outside of the instruments analytical measuring range, the GFR will be reported as a comment "Unable to calculate".
- C. Because the GFR calculation is very complex, this calculation verification is done using the GFR calculator at the National Kidney Foundation's website, www.kidney.org. This website can also be used for calculations during Instrument Manager downtime.
- D. For patients of Unknown gender, the GFR will report as "Unable to calculate."

## **VI. REFERENCES:**

A. American Journal of Kidney Diseases, Vol 39, No. 2, Supplement 1 (February), 2002: pp

#### S76-S110

- B. Postgraduate Medicine, Vol 110, No 6, (December), 2001
- C. Lab Test Directory | Corewell Health Laboratory (beaumontlaboratory.com)

#### **Approval Signatures**

Step Description	Approver	Date
Medical Director	Muhammad Arshad: Chief, Pathology	10/22/2024
Medical Director	Jeremy Powers: Chief, Pathology	10/4/2024
Policy and Forms Steering Committee Approval (if needed)	Michelle Alexander: Medical Technologist Lead	10/3/2024
	Christopher Ferguson: Dir, Lab Services	8/23/2024
	Helga Groat: Supv, Laboratory	8/23/2024
	Kristen DiCicco: Mgr, Laboratory	8/22/2024
	Ashley Beesley: Mgr, Laboratory	8/15/2024
	Katherine Persinger: Mgr, Laboratory	8/14/2024
	Michelle Alexander: Medical Technologist Lead	8/13/2024

#### Applicability

Dearborn, Taylor, Trenton, Wayne