

Antepartum Determination of RhIG Candidacy

Maternal Rh(D) Sensitization	Maternal Rh(D)	Gestation	Reason RhIG Ordered by Physician	* FMH Indicated? (Yes or No)	RhIG Candidate? (Yes or No)	Result comment IDs for RHIGCAN	Result comment IDs for FMHA	Result Comment ID Descriptions
If allo anti-D is currently or historically detected in a maternal sample, refer to the policy Maternal Rh(D) Sensitization / Requires Medical Director Review before using this table to determine RhIG candidacy.	Rh(D) Negative or Weak D / Partial D positive Or Rh(D) Undeter- mined	0-12 weeks	Any reason	No	No	(free text description)	NA	Rh Immune Globulin not indicated <12 weeks
		12-23 weeks	Any reason	No	Yes	RHIG1 ROD	NA	One total vial Rh Immune Globulin indicated. Product available upon receiving the Blood Component/Pick Up form in the Blood Bank
		23 weeks or greater	Routine, prophylactic RhIG (Usually given at 28 weeks)	No	Yes	RHIG1 ROD	NA	 One total vial Rh Immune Globulin indicated. Product available upon receiving the Blood Component/Pick Up form in the Blood Bank
			Any other reason (besides routine, prophylactic RhIG)	Yes	Yes	FMH ROD	RHFIN (Once FMH testing is completed)	More than 1 vial of RhIG may be indicated. Specimen sent to Flow cytometry for quantitative Fetal RBC Assay. Product available upon receiving the Blood Component/Pick Up form in the Blood Bank Additional Testing Complete. total number vials Rh Immune Glubulin indicated.
	Rh(D) positive	Any	Error or Unknown History	No	No	RNCDP	NA	Not RhIG Candidate, Patient is Rh Positive