



PANOCELL® - 16
MASTER LIST

IMMUCOR, INC. Norcross, GA 30071 USA

US LICENSE NO: 886
LOT NO: 25460
EXPIRES: 04 Jul 02

Scrap or samples of anti-Unitary metal usually with the S. test short.

All tests are positive for Ig, Ge, Yba*, Tga, Vet Cea*, IgG, and negative for IgM, Yba, IgA, and Ytg except where noted. * indicates these antigens where positive or

In these subjects at weeks 4 and 8 a positive serologic test was obtained. It may be desirable to perform antibody screening tests with IgG and IgM. The panel could also consider a test for IgM antibodies.



PANOCELL® - 16

MASTER LIST

IMMUCOR, INC. Norcross, GA 30071 USA

US LICENSE NO: 885
 LOT NO: 43860
 EXPIRES: 07 Nov 02

NAME Michael Jackson SEX M
 NO. 2110710 INSTITUTION
 PREGNANCY TRANSFUSION
 BLOOD GROUP ANTIBODY IDENTITY

TECH	DATE	PATIENT'S TEST RESULTS																									
		Rh - Hr	Kell						Duffy	Kidd	Lewis	P	MN	Lutte	Xg	CE	37	All CC	46	(pp)							
D	C	c	E	e	r'	V	C*	K	k	K _y	J _y	J _x	F _y	J _x '	L _y	P	M	N	S	s	L _y '	X _y	CE	37	All CC	46	(pp)
1		RzR1 A2180	+	+	0	+	0	0	0	+	0	+	0	+	0	+	0	+	0	+	1	1+3+	37	-	21		
2		R1wR1 B2262	+	+	0	+	0	0	+	0	+	0	+	0	+	0	+	0	+	0	+	2	- -3+	-	-	-	
3		R2R2 C2888	+	0	+	0	0	0	0	+	0	+	0	+	0	+	0	+	0	+	3	1+4+	47	-	4+		
4	Bg(a+)	Ror D451	+	0	+	0	0	0	0	+	0	0	0	0	+	0	0	0	0	+	0	4	- 2+	21	21		
[5]		r'r E294	0	+	+	0	+	0	0	+	0	+	0	+	0	0	+	0	+	0	+	5	- 1+	1+	1+		
[6]	Bg(a+)	r'r F170	0	0	+	+	+	0	0	+	0	+	0	0	+	0	0	+	0	+	6	1+4+	44	44			
[7]		rr G679	0	0	+	0	+	0	0	+	0	+	0	+	0	+	0	0	+	0	+	7	- 2+	21	21		
8		rr H849	0	0	+	0	+	0	0	+	0	+	0	+	0	+	0	0	+	0	+	8	- 2+	21	21		
9		R1R1 B1085	+	+	0	0	+	0	0	+	0	+	0	+	0	+	0	+	0	+	0	+	9	- -3+	-	-	
10	r	R2r J744	+	0	+	+	+	0	0	+	0	+	0	+	0	+	0	+	0	+	0	+	10	H 4+	44		
11		R1R1 B4627	+	+	0	0	+	0	0	0	+	0	0	0	+	0	0	0	0	+	0	+	11	- -3+	-	-	
[12]		rr N2035	0	0	+	0	+	0	0	0	+	0	0	0	+	0	0	0	0	+	0	+	12	- 2+	21		
13		rr N2037	0	0	+	0	+	0	0	0	+	0	0	0	+	0	0	0	0	+	0	+	13	- 2+	21		
14		rr G684	0	0	+	0	+	0	0	0	+	0	0	0	+	0	0	0	0	+	0	+	14	- 2+	21		
15	VS+	r'sr E166	0	W	+	0	+	0	0	0	+	0	+	0	+	0	0	0	0	+	0	0	15	- 2+	21		
16		rr N1760	0	0	+	0	+	0	0	0	+	0	0	0	+	0	0	0	0	+	0	0	16	- 2+	21		
PC		PATIENT'S CELLS																			PC	- -3+	-	-			
DIRECT ANTIGLOBULIN TEST																											
EVALUATE RESULT																											
LOT	POLY	IgG	IgM	C3																							
RESULT																											

Some examples of anti I may react weakly with the S : cells above.

All cells are positive for IgG, IgM, IgA, IgD and negative for IgG, IgM, IgA, and IgD antigen where noted. - indicates those antigens where presence or absence may have been determined using only a single example of a specific antibody.

In those instances where a patient's serum is known to contain anti D, it may be desirable to perform antibody screening tests with D red cells. The D red cells which react strongly are set off by brackets [] can be mixed together to form a third or fourth vial to negative antibody screening reagent. All bracketed cells must be stained in a single screening reagent.

ATTENTS SERUM:

GROUP	PAND	SCREEN	LOT
ELLS			
VERSE			

10

Ortho-Clinical Diagnostics, Inc.
a Johnson & Johnson company

Tom Jones

PATIENT NAME:

PATIENT ID: 1
DATE: 1/1/13

Digitized by srujanika@gmail.com

卷之三

PATIENT NAME: Tom Jones
PATIENT ID: 111-22-33
DATE: 1/28/03 TECH: LM
CONCLUSION:

Panel Reagent Resolved Antigenic

Reagent Red Blood Cells
Resolve® Panel A
Antigram® Antigen Profile

Shaded columns indicate those antigens which are destroyed or decreased by enzyme treatment

Environ Monit Assess

Environ Monit Assess

Antigen status may have been determined presumptively based on *Fh*-like phenotype.