



**COLLEGE of AMERICAN
PATHOLOGISTS**

325 Weiskagan Road, Northfield, Illinois 80093-2750
800-323-4040 • cap.org

ORIGINAL EVALUATION

DAT-A 2020 Direct Antigliobulin Test

INSTITUTION:

North Carolina Baptist Hospital Inc
Winston Salem NC 27157

ATTENTION:

Julie Simmons MT(ASCP)SBB

CAP NUMBER:

1395801-09 Kit# 1

KIT INFORMATION:

Kit ID: 33188161
Kit Mailed: 2/24/2020

Original Evaluation:

4/9/2020

Next Mailing Date:

10/12/2020

COPIED TO:

LAP
North Carolina Dept of Health
(1179664) AABP (3487)

LEGEND:

Exception Reason Codes appearing in this evaluation
<NONE>

[Signature]
4/27/2020
Reviewed By *[Signature]* Date *4/27/20*

The College of American Pathologists recommends that the result of this interlaboratory comparison not be used as a sole criterion for judging the performance of any individual clinical laboratory.



**COLLEGE of AMERICAN
PATHOLOGISTS**

325 Waukegan Road, Northfield, Illinois 60093-2750
800-323-6040 • cap.org

CAP N number: 1395801-09 Kit# 1

Institution: North Carolina Baptist Hospital Inc

Attention: Julie Simmons MT(ASCP)SBB

City / State: Winston Salem, NC 27157

Kit ID: 33188161

Kit Mailed: 2/24/2020

Original Evaluation: 4/9/2020

EVALUATION ORIGINAL

DAT-A 2020 Direct Antiglobulin Test

Test Method	Specimen	Your Result	Intended Response	Your Grade
DAT Poly TUBE TESTING	DAT-01	NEGATIVE	NEGATIVE	Good
	DAT-02	NEGATIVE	NEGATIVE	Good
	DAT-03	POSITIVE	POSITIVE	Good
DAT IgG TUBE TESTING	DAT-01	NEGATIVE	NEGATIVE	Good
	DAT-02	NEGATIVE	NEGATIVE	Good
	DAT-03	POSITIVE	POSITIVE	Good
DAT C3 TUBE TESTING	DAT-01	NEGATIVE	NEGATIVE	Good
	DAT-02	NEGATIVE	NEGATIVE	Good
	DAT-03	NEGATIVE	NEGATIVE	Good
DAT C3d TUBE TESTING	DAT-01	NEGATIVE	NEGATIVE	Good
	DAT-02	NEGATIVE	NEGATIVE	Good
	DAT-03	NEGATIVE	NEGATIVE	Good