



**COLLEGE of AMERICAN
PATHOLOGISTS**

325 Waukegan Road, Northfield, Illinois 60093-2750
800-323-4040 • cap.org

ORIGINAL EVALUATION

JAT-B 2020 Transfusion Medicine (Automated)

INSTITUTION:

North Carolina Baptist Hospital Inc
Winston Salem NC 27157

ATTENTION:

Julie Simmons MIT(ASCP)SBB

CAP NUMBER:

1395801-09 **Kit#** 1

KIT INFORMATION:

Kit ID: 33188796

Kit Mailed: 6/22/2020

Original Evaluation: 7/24/2020

Next Mailing Date: 9/28/2020

COPIED TO:

LAP
CMS (34D0664386)
North Carolina Dept of Health
(1179664) A.ABB (3487)

LEGEND:

Exception Reason Codes appearing in this evaluation
[26] = Educational challenge.

Reviewed By: *[Signature]* Date: *8/15/20*

The College of American Pathologists recommends that the result of this interlaboratory comparison not be used as a sole criterion for judging the performance of any individual clinical laboratory.

EVALUATION ORIGINAL

Test Method		Specimen	Your Result	Intended Response	Your Grade
ABO Group	IMMUCOR GALILEO ECHO	JAT-08	GROUP O	GROUP O 99.7% <i>g</i>	Good
		JAT-09	GROUP O	GROUP O 99.7% <i>g</i>	Good
		JAT-10	GROUP A	GROUP A 100% <i>g</i>	Good
		JAT-11	GROUP B	GROUP B 99.2% <i>g</i>	Good
		JAT-12	GROUP AB	GROUP AB 99.8% <i>g</i>	Good
ABO Subgroup	IMMUCOR GALILEO ECHO	JAT-08	ABO SUBTYP NT PERFORMID	99.8% <i>g</i>	See Note [26]
		JAT-09	ABO SUBTYP NT PERFORMID	99.8% <i>g</i>	See Note [26]
		JAT-10	GROUP A1	7.5% (95.3 - not performed) <i>g</i>	See Note [26]
		JAT-11	ABO SUBTYP NT PERFORMID	99.8% <i>g</i>	See Note [26]
		JAT-12	GROUP A1B	6.5% (92.7% - not performed) <i>g</i>	See Note [26]

**EVALUATION
ORIGINAL**

JAT-B 2020 Transfusion Medicine (Automated)

Test Method	Specimen	Your Result	Intended Response	Your Grade
Rh Type IMMUCOR GALILEO ECHO	JAT-08	RH POSITIVE	RH POSITIVE 99.7% <i>J</i>	Good
	JAT-09	RH POSITIVE	RH POSITIVE 99.7% <i>J</i>	Good
	JAT-10	RH POSITIVE	RH POSITIVE 99.7% <i>J</i>	Good
	JAT-11	RH POSITIVE	RH POSITIVE 99.8% <i>J</i>	Good
	JAT-12	RH POSITIVE	RH POSITIVE 99.8% <i>J</i>	Good
Antibody Detection IMMUCOR GALILEO ECHO	JAT-08	ANTIBODY DETECTED	ANTIBODY DETECTED 99.7% <i>J</i>	Good
	JAT-09	ANTIBODY NOT DETECTED	ANTIBODY NOT DETECTED 99.9% <i>J</i>	Good
	JAT-10	ANTIBODY DETECTED	ANTIBODY DETECTED 99.7% <i>J</i>	Good
	JAT-11	ANTIBODY NOT DETECTED	ANTIBODY NOT DETECTED 99.9% <i>J</i>	Good
	JAT-12	ANTIBODY NOT DETECTED	ANTIBODY NOT DETECTED 99.8% <i>J</i>	Good



**COLLEGE of AMERICAN
PATHOLOGISTS**

325 Waukegan Road, Northfield, Illinois 60093-2750
800-323-4040 • cap.org

CAP Number: 1395801-09

Kit# 1

Kit ID: 33188796

Institution: North Carolina Baptist Hospital Inc

Kit Mailed: 6/22/2020

Attention: Julie Simmons MT(ASCP)SBB

Original Evaluation: 7/24/2020

City / State: Winston Salem NC 27157

**EVALUATION
ORIGINAL**

JAT-B 2020 Transfusion Medicine (Automated)

Test Method	Specimen	Your Result	Intended Response	Your Grade
Antibody ID	JAT-08	Anti-s	Anti-s	Good
	JAT-09	ANTIBODY ID NOT INDIC	ANTIBODY ID NOT INDIC	Good
	JAT-10	Anti-E	Anti-E	Good
	JAT-11	ANTIBODY ID NOT INDIC	ANTIBODY ID NOT INDIC	Good
	JAT-12	ANTIBODY ID NOT INDIC	ANTIBODY ID NOT INDIC	Good
Crossmatch Serology	JAT-08	POSITIVE	POSITIVE	Good
	JAT-09	NEGATIVE	NEGATIVE	Good
	JAT-10	POSITIVE	POSITIVE	Good
	JAT-11	NEGATIVE	NEGATIVE	Good
	JAT-12	NEGATIVE	NEGATIVE	Good
ABO Group	JATE-14	GROUP A		See Note [26]
	JATE-14	GROUP A1		See Note [26]
Rh Type	JATE-14	RH POSITIVE		See Note [26]

The College of American Pathologists recommends that the result of this interlaboratory comparison not be used as a sole criterion for judging the performance of any individual clinical laboratory.



**COLLEGE of AMERICAN
PATHOLOGISTS**

325 Waukegan Road, Northfield, Illinois 60093-2750
800-323-4040 • cap.org

CAP Number: 1395801-09

Kit# 1

Kit ID: 33188796

Institution: North Carolina Baptist Hospital Inc

Kit Mailed: 6/22/2020

Attention: Julie Simmons MT(ASCP)SBB

Original Evaluation: 7/24/2020

City / State: Winston Salem NC 27157

**EVALUATION
ORIGINAL**

JAT-B 2020 Transfusion Medicine (Automated)

Test Method	Specimen	Your Result	Intended Response	Your Grade
Antibody Detection IMMUCOR GALILEO ECHO	JATE-14	ANTIBODY DETECTED		See Note [26]
Antibody ID	JATE-14	Anti-Fya Anti-E	98.5% g	See Note [26]
Crossmatch Serology	JATE-14	POSITIVE	99.3% g	See Note [26]

