

# POLICY Corewell Health East - Reporting Outside Laboratory Results - All Beaumont Hospitals

# This Policy is Applicable to the following Corewell Health sites:

Corewell Health Beaumont Grosse Pointe Hospital, Corewell Health Beaumont Troy Hospital, Corewell Health Dearborn Hospital, Corewell Health Farmington Hills Hospital, Corewell Health Taylor Hospital, Corewell Health Trenton Hospital, Corewell Health Wayne Hospital, Corewell Health William Beaumont University Hospital (Royal Oak)

Reference #: 33468

Version #: 2

**Effective Date:** 07/09/2025

Functional Area: Clinical Operations, Laboratory

**Department Area:** Lab - General, Laboratory Policies

# 1. Purpose

Situations may arise where laboratory results from outside laboratories need to be accessible to the provider. This policy describes how results are incorporated into the patient's chart in Epic. This excludes send out laboratory tests that Corewell Health East Laboratory holds agreements with and are part of the test formulary. Send out or reference laboratory tests (laboratory testing initiated by Corewell Health East to a reference laboratory) is described in the laboratory sites procedure for Corewell Health East - Selecting and Evaluating a Referral Laboratory - Royal Oak.

### 2. Responsibilities

Personnel who have completed the competency requirements will perform these tasks.

# 3. Policy - Guidelines for Handling Outside Laboratory Results

- A. Corewell Health East utilizes Epic One Chart as the integrated Electronic Health Record for the Hospital Information System. Epic has the functionality to scan external laboratory results when lab results need to be entered into Epic from non-Corewell Health East Laboratory performed sources. Scenarios and sources where this may occur include:
  - 1. Point of care results performed in a physician office: These are scanned or manually entered as OFFICE tests. OFFICE tests will not trend with Corewell Health East Laboratory tests and clearly indicate that they are performed separate from the hospital laboratory.
  - Physician Offices that send lab work directly to external laboratories (e.g. Quest): These are scanned and appear in the Media tab in EPIC. These tests will not trend with Corewell Health East Laboratory tests and clearly indicate that they are performed separate from the hospital laboratory.
  - 3. Laboratory tests performed in a physician office laboratory (POL): These results are accessible utilizing Epic data sharing features (e.g. Care Everywhere, Happy Together). These are scanned or manually entered as OFFICE tests. OFFICE tests will not trend with Corewell Health East Laboratory tests and clearly indicate that they are performed outside of the hospital laboratory.

Entities will reference associated information contained within this document as applicable Printouts of this document may be out of date and should be considered uncontrolled.



- B. For patient safety, the integrity of laboratory data must be preserved to verify consistency in care. There must be continuity of units, sensitivity, specificity, correlation of data etc. Quality of the lab is evaluated by the Laboratory and/or System Medical Director based on the following criteria:
  - Laboratory holds a valid Clinical Laboratory Improvement Amendments (CLIA) certification or equivalent license.
  - 2. Consistent reference intervals and/or units of measure.
  - 3. Units of measurements and reference intervals included on the laboratory report.
  - 4. An official laboratory result is generated.
- C. Approval by the Corewell Health East Laboratory medical director must be obtained to verify that patient safety is not put at risk and the above criteria is reviewed and met.

# 4. Revisions

Corewell Health reserves the right to alter, amend, modify or eliminate this document at any time without prior written notice.

# 5. References

- **A.** Lab General Checklist, GEN.41077 Reporting Outside Test Results. College of American Pathologists, Northfield, IL.
- **B.** All Common Checklist, COM.04250 Comparability of Instruments and Methods Nonwaived Testing. College of American Pathologists, Northfield, IL.
- C. All Common Checklist, COM.04300 Comparability Criteria Nonwaived Testing. College of American Pathologists, Northfield, IL.
- **D.** All Common Checklist, COM.04050 Error Detection and Correction, College of American Pathologists, Northfield, IL.
- **E.** Point of Care Checklist, POC.03700 Error Detection and Correction. College of American Pathologists, Northfield, IL.

# 6. Policy Development and Approval

# **Document Owner:**

Laura Judd (Operations Specialist)

### Writer:

Michele Sedlak (Operations Specialist)

# Reviewer(s):

Ashley Beesley (Mgr, Laboratory), Donna Cary (Mgr, Division Laboratory), Fatima Bazzi (Supv, Laboratory), Helen Anonick (Supv, Lab Processing), Helga Groat (Mgr, Laboratory), Jamie Pert (Mgr, Division Laboratory), Jennifer Burke (Mgr, Laboratory), Jennifer Yaker (Mgr, Laboratory), Kelly Sartor (Mgr, Division Laboratory), Kelly Walewski (Mgr, Laboratory), Kristen DiCicco (Mgr, Laboratory), Kristin Russell (Mgr, Laboratory), Lauren Hingst (Mgr, Division Laboratory), Leah Korodan (Mgr, Division Laboratory), Lynn Vanderlaan (Mgr, Division Laboratory), Megan Masakowski (Mgr, Division Laboratory), Teresa Lovins (Supv, Laboratory)

# Approver(s):

Lab - EAST L3 Medical Directors, Amy Knaus (Dir, Pathology Service Line), Ann Marie Blenc (System Med Dir, Hematopath), Brittnie Berger (Dir Sr, Lab Operations), Christopher Ferguson (Dir, Laboratory Services), Elzbieta Wystepek (Dir, Laboratory Services), Hassan Kanaan (OUWB Clinical Faculty), Jeremy Powers (Chief, Pathology), Joan Wehby (Dir, Laboratory Services), John Pui (Chief, Pathology), Kurt Bernacki (System Med Dir, Surgical Path), Masood Siddiqui (Staff Pathologist), Muhammad Arshad (Chief, Pathology), Nicholas Rambow (Dir Sr, Lab Operations), Roger Smith (Dir Sr, Lab Operations), Ryan Johnson (OUWB Clinical Faculty), Sarah Britton (VP, Laboratory Svcs), Subhashree Mallika Krishnan (Staff Physician)

Entities will reference associated information contained within this document as applicable Printouts of this document may be out of date and should be considered uncontrolled.



# 7. Keywords:

GEN.41077

Entities will reference associated information contained within this document as applicable Printouts of this document may be out of date and should be considered uncontrolled.