SERVICE UPDATE



| CAMPUS AFFECTED: | | | |
|--|--|--------|----------------------------|
| AFFECTS PATIENT CARE | | | |
| TEST NAME: Hepatitis C Antibody reflex testing | | | DATE OF CHANGE: 05/25/2017 |
| REPLACING: New | | | |
| SPECIMEN TYPE: Gold or red top tube - Serum | | | |
| ORDERING CODES: | EPIC: | | NEW: |
| | SQ: | HCVRQB | NEW: |
| OTHER USEFUL INFORMATION: | Reactive Hepatitis C antibodies should be confirmed with nucleic acid testing. In order to prevent a patient re-draw, all reactive Hepatitis C antibody tests will automatically reflex to a nucleic acid confirmation testing | | |

If the Hepatitis C Ab screening test is reactive, it will reflex to order the Hepatitis C Virus by Quantitative PCR.

Testing will be sent to ARUP laboratories.

An interpretation of "Not Detected" for the Hepatitis C nucleic acid test does not rule out the presence of PCR inhibitors in the patient specimen or hepatitis C virus RNA concentrations below the level of detection of the test. Care should be taken when interpreting any single viral load determination.

For further Information Refer to UnityPoint Methodist Laboratory User Manual

For Technical Information Contact:

For Scientific and Clinical Information Contact:

Amy Gibbs, CLS Technical Coordinator 309-671-2547

Stephanie Burton, CLS (ASCP) Labortory Manager 309-672-4921

Elizabeth Bauer-Marsh, MD, Medical Director 309-672-4972

(Richard Borge, Director of Laboratories Richard Borge, Director of Laboratories 309-671-8218

Lori Racsa, DO, Clinical Pathologist 309-671-2181