

Sysmex Reagents  
are starting to arrive

WNR lysercell and fluoroWNR

Reagent	Discrete mode	
	CBC	CBC+WDF+WPC+RET+PLT-F
Total reagent volume	Approx. 29.9 mL	Approx. 62.8 mL
CELLPACK DCL	Approx. 27.9 mL	Approx. 53.7 mL
SULFOLYSER	Approx. 0.5 mL	Approx. 0.5 mL
Lysercell WNR	Approx. 1.5 mL	Approx. 2.5 mL
Fluorocell WNR	Approx. 20 µL	Approx. 20 µL
Lysercell WDF	-	Approx. 1.5 mL
Fluorocell WDF	-	Approx. 20 µL
Lysercell WPC	-	Approx. 1.5 mL
Fluorocell WPC	-	Approx. 20 µL
CELLPACK DFL	-	Approx. 3.0 mL
Fluorocell RET	-	Approx. 20 µL
Fluorocell PLT	-	Approx. 20 µL

Lysercell WNR + Fluorocell WNR = NRBC channel + Basophils

**WNR** Lysercell™ WNR

Lysing reagent for hematology analyzers



5 L  
WNR-210A

AW341307-U

Mfg. Date 2020-03-24  
Exp. Date 2021-03-24  
Lot No. AM0007



Lysercell WNR

5L per box

3333 sample per box


Store 2 - 35°C

Use 15 – 30°C

On-Board 90 days



Remove center portion at the dashed lines.



Lift up (•) tabs.



Store in a dust free area



Pull container cap through tabs.



Replace (•) tabs under container cap.

**WNR** Lysercell™ WNR

REF ZPPBL121531

5 L

Storage and shelf life after first opening:  
1. Once opened, this reagent should be used within 60 days.  
2. Do not freeze.

Components:  
Organic quaternary ammonium salts 0.20 %  
Nonionic surfactant 0.10 %

Mfg. Date 2020-03-24  
Exp. Date 2021-03-24  
Lot No. AM0007



AD515324-F



**Sysmex Corporation**

1-5-1 Wakinohama-Kaigandori,  
Chuo-ku, Kobe 651-0073, Japan

Manufacturing site:  
**Sysmex Asia Pacific Pte Ltd.**  
19 Jalan Tukang Singapore 619265

MADE IN SINGAPORE

Sysmex is Registered in U.S. Pat. & Tm. Off.





www.sysmex-europe.com/ifu

EC REP  
Sysmex Europe GmbH  
Bornbarch 1,  
22848 Norderstedt, Germany

Sysmex Corporation  
1-5-1 Wakinohama-Kaigandori,  
Chuo-ku, Kobe 651-0073, Japan  
MADE IN JAPAN



H302  
P301+P312  
P501

**WNR** Fluorocell™ WNR  
フルオロセル™ WNR



## Lysercell WNR

2 x 82 ml cassette per box

20ul per test

4100 tests per cassette,  
8200 tests per box

Store 2 - 35°C

Use 15 – 30°C

On-Board 90 days (45 tests per day)

