



1159 Business Park Drive, Traverse City, MI 49686
 800-333-0958 (toll free) / +1 231-941-5887 (international)
 www.api-pt.com

**PROFICIENCY TESTING
 PERFORMANCE EVALUATION**

2021 Chemistry - Core - 1st Event

Please check the reports carefully. Errors made by API will be corrected if reported within 60 days of the final report date.

Customer Information

Dylan Eaton - Lab
 HealthPartners - Bloomington
 8600 Nicollet Avenue South
 Mailstop 31500A
 Bloomington, MN 55420-2824

API Customer Number: **42145** CLIA Number: **24D0668592**
 These reports have also been prepared for:
 COLA (0005825)
 HealthPartners, Colleen Russell, Lab Administration

The American Proficiency Institute evaluation reports consist of four parts : Report Cover, Performance Summary, Comparative Evaluation, and Participant Data Summary. The Performance Summary and Comparative Evaluation are enclosed, and the Participant Data Summary is available on our website. Click on 'Participant Data Summaries' on the left side of the screen, choose a Test Event, and select an analyte and peer group to view the statistics.

Laboratories should review the Performance Summary and Comparative Evaluation thoroughly for failures or 'not graded' analytes. Laboratories are responsible for documenting and performing corrective action for failures and must perform a self-evaluation using statistics presented in the Participant Data Summary for samples that have not been graded.

PERFORMANCE REVIEW AND CORRECTIVE ACTION

After reviewing the evaluation reports, complete the information below and retain this form along with the enclosed reports for your records.

Reviewed by (Lab Director or designee): _____ Date: **2-27-21**

Corrective action taken (if indicated):

Performance Summary
2021 Chemistry - Core - 1st Event

This is a summary of your proficiency testing performance for the last three test events. It is divided into sections according to specialty/sub-specialty. Unsuccessful long-term performance, where indicated, is based on unsatisfactory scores for two of three test events.

The scores for individual analytes are defined as the ratio of acceptable responses to the number of samples tested, expressed as a percentage. Unsatisfactory performance (denoted by ✓) is indicated for any analyte with less than 80%. Analytes that are scored for CMS are designated by (**).

CHEMISTRY					
<i>Endocrinology</i>	2020 2nd	2020 3rd	2021 1st	Long Term	Notes (2021 1st)
HCG **	100%	100%	100%		

CHEMISTRY					
<i>Routine Chemistry</i>	2020 2nd	2020 3rd	2021 1st	Long Term	Notes (2021 1st)
Glycated Hemoglobin	100%	100%	100%		Testing Suspended

Comparative Evaluation
2021 Chemistry - Core - 1st Event

This report shows the result you reported, expected result, mean, SD (Standard Deviation), SDI (Standard Deviation Interval), and your grade for each sample tested. The SDI compares your laboratory's result to the comparison group's mean and is defined as follows:

$$SDI = \frac{\text{Reported Result} - \text{Comparison Group Mean}}{\text{Comparison Group Standard Deviation}}$$

Analytes that are scored for CMS are designated by (**). Analytes designated by (^) are not included in API's scope of ISO/IEC 17043 accreditation.

SERUM HCG				
<u>Analyte / Method</u>	<u>Sample</u>	<u>Reported Result</u>	<u>Expected Result</u>	<u>Performance</u>
HCG (serum-qual) **	HCG-01	Negative	Negative	Acceptable
Card Health SP Brand hCG Combo	HCG-02	Positive	Positive	Acceptable
	HCG-03	Positive	Positive	Acceptable
	HCG-04	Positive	Positive	Acceptable
	HCG-05	Negative	Negative	Acceptable