Blood Bank / Irradiator Alarm System

Purpose: To deter terrorist attempts to access and detonate, i.e. dirty bomb, or remove for later dispersal, radioactive material which could be physically harmful and economically devasting to a community and its inhabitants.

Background information: The alarm system is serviced by Dynamark Security and monitored 24x7 by UCC.

If an alarm is activated the monitoring company may call to request the security password in order to verify from a Shoreline associate that the police do not need to be dispatched. If you do not know the password ask your lead tech. Do not share this password with others. Note: If you do not provide the correct password then the police department will be dispatched. Shoreline and /or PBX operators may also contact you to determine the cause of the alarm. Obtain information from UCC for troubleshooting purposes: the source, location (zone#-see attached), and type of alarm.

When entering the Blood Bank or the irradiator room, a silent duress alarm may be sent immediately for police dispatch by increasing or decreasing the last digit of your PIN# by one digit. For example, if your PIN# is 1234 then enter 1235 or 1233 to send a silent alarm. There are also silent alarm duress buttons in the Blood Bank office, Blood Bank workstation #1, Stat Lab room, and irradiator room. Press the button at the bottom center of the device to activate. See picture of device below:



Some alarms, such as a door open alarm, etc., will have a delay feature so that the alarm can be cancelled at the keypad in the lounge area so that UCC is not notified for a false alarm. To silence and cancel an alarm enter the disarm code (1234-1) twice. Then to activate / reset the alarm system enter the arm code once (1234-2).

If in the event the irradiator is compromised and nuclear material is exposed or removed, get as much distance as possible between you and the source of the radiation and notify authorities. Exiting the building would be the most appropriate action.

Contact your lead tech or Security for additional questions.



DYNAMARK ALARM ZONES & DISPATCH RESPONSE



Christus Spohn Shoreline

600 Elizabeth Street Corpus Christi, Texas 78404 Phone: (361) 881-3000

Tab 3 Subsection 3.5

RADIOLOGICAL ALARM ZONES

Spohn Blood Bank – Dynamark Security Acct#: 60-0552

- Stat Lab Holdup Button Zone 1 Silent: Dispatch-PD, Notify- Pbx, Text- David, George, Larry, Rosie Zone 2 **Blood Bank Holdup Button** Silent: Dispatch-PD, Notify-Pbx, Text- David, George, Larry, Rosie Zone 3 Larry's Office Holdup Button Silent: Dispatch-PD, Notify-Pbx, Text - David, George, Larry, Rosie Zone 4 Irad Door: 5 Min. Audible: Notify- PBX Zone 5 Blood Bank Entry Door: 2 Min. Audible: Notify- PBX Zone 6 Managers's Office Door (Larry): 30 Sec. Audible: Notify- PBX Zone 7 Pre-Admit Door: 30 Sec. Audible: Notify- PBX Zone 8 Irad Motion Audible: Notify- PBX Zone 9 Irad Holdup Button Dispatch- PD, Notify- Pbx, Text- David, George, Larry, Rosie Silent: Zone 10 Irad Seal Audible: Dispatch- PD, Notify- Pbx, Text- David, George, Larry, Rosie Zone 11 Irad Radiation (Hi Rad.) Audible: Dispatch- PD, Notify - Pbx, Text- David, George, Larry, Fred, Rosie Zone 12 Irad Tamper Audible: Dispatch- PD, Notify - Pbx, Text- David, George, Larry, Rosie Zone 13 Security Rack Tamper Audible: Notify- PBX 30 Sec. Zone 14 PBX Entry Door Audible: Notify- PBX Zone 15 PBX Holdup Buttons (2) Silent: Dispatch- PD, Notify- Pbx, Text- David, George, Larry, Rosie Zone 16 PBX Access Control Panel Duress Silent: Dispatch- PD, Notify- Pbx, Text- David, George, Larry, Rosie Zone 17 Blood Bank Perimiter Doors Duress Silent: Dispatch-PD, Notify- Pbx, Text - David, George, Larry, Rosie Spohn Cancer Center – Dynamark Security Acct#: 60-0553
- Zone 1 Cage Door: 5 Min
- . Audible: Notify- PBX
- Zone 2 HDR Room Holdup Button Silent: Dispatch- PD, Notify- PBX, Text- David, Jennifer
- Zone 3 HDR Tech Holdup Button
- Silent: Dispatch- PD, Notify- PBX, Text- David, Jennifer Zone 4 HDR Cage Intrusion
- Audible Notify- PBX
- Zone 5 Cancer Center Duress Silent: Dispatch- PD, Notify- PBX, Text- David, Jennifer

Page 15