

SOFTLAB

1. Order Entry cancel

- a. Cancel Test
 - i. Reports to iEHR/EMR
 - ii. Prints on report
- b. Cancel Order
 - i. Reports to iEHR/EMR
 - ii. Prints on report

2. Result Entry Cancel (Resulting Worklist)

- a. F4 cancel \rightarrow must add result comment indicating why test was cancelled
 - i. Reports to iEHR/EMR
 - ii. Prints on report
- b. Dot result \rightarrow must add result comment indicating why test was cancelled
 - i. Reports to iEHR/EMR
 - ii. Prints on report

ERRONEOUSLY REPORTED RESULTS (recommend having LIS Admins perform to ensure adequate documentation)

- 1. Resulting W/L
 - a. Enter CANC into the Result field
 - i. Enter Mandatory Correction reason
 - ii. Result will flag as Absurd
 - iii. Enter in Result Comment or branch to Order Entry and add an Order Comment
- 2. Order Entry→DO NOT cancel erroneously reported results out of order entry...each test must be cancelled in order to have the previous result maintained



TERRITORIAL LIS CANCELLATION PROCESS



Effective: March 29, 2017



SOFTBANK

- 1. Order Entry→ DO NOT PERFORM ORDER ENTRY CANCELS FOR BLOOD BANK TESTS
- 2. SOFTBANK:
 - a. PATIENT->ORDERS->CANCEL
 - iii. Cancel Action (NOT ORDER)
 - b. PATIENT->ORDERS->CANCEL
 - iv. Test cancel (NOT ORDER)

ERRONEOUSLY REPORTED RESULTS (recommend having LIS Admins perform to ensure adequate documentation)

- 1. SOFTBANK: change test interpretations to NT/NT/NT (Not Tested) or I/I/I (Invalid)→add comment and the comment appears. Previously reported result also appears (Did not have to resend to HIS)
- 2. Order Entry Cancel →DO NOT CANCEL IN ORDER ENTRY IF RESULTS HAVE ALREADY BEEN RELEASED



TERRITORIAL LIS CANCELLATION PROCESS





SOFTMIC

1. Order Entry Cancel

- a. Cancel ORDER
 - i. Enter Mandatory cancellation reason
 - ii. Report to iEHR/EMR
 - iii. Prints on report
- b. Cancel TEST DO NOT CANCEL TEST OUT OF ORDER ENTRY. IF ONLY ONE TEST ON THE ORDER NEEDS TO BE CANCELLED IT MUST BE CANCELLED OUT OF MICRO RESULT ENTRY

2. Micro Result Entry

- a. Cancel
 - i. Enter cancellation reason
 - ii. Enter short cancellation reason of report
 - iii. Reports to iEHR/EMR
 - iv. Prints on report

ERRONEOUSLY REPORTED RESULTS (recommend having LIS Admins perform to ensure adequate documentation)

- 1. Micro Result Entry
 - a. Cancel in Micro Result Entry
 - b. Enter Cancellation reason
 - c. Previous erroneous results will appear on the report
- 2. Order Entry Cancel →DO NOT CANCEL IN ORDER ENTRY IF RESULTS HAVE ALREADY BEEN RELEASED



TERRITORIAL LIS CANCELLATION PROCESS





DOCUMENT REVISION AND APPROVAL HISTORY			
Revision #	Revision Date	Issued By	Description of changes
1.0	2017	ALD	Initial Release
2.0	2017-11	ALD	Removed instruction to test cancel micro orders out of result entry