

Microbiology Laboratory Staff Meeting Minutes

October 7, 2020 12:15 to 13:00

12:15 to 13:00

Present: Laura S, Moses, Solomon, David, Laura G and Emily

- 1. Break times:
 - Laura S had to make these times as there was an incident where the lab was left empty.
 - If you cannot go at the time assigned due to workflow, please communicate with other staff members and ask if they can go first.
 - Need to make sure there is always someone in the lab.
- 2. Laura S away:
 - Laura S is away next week. She will still be in Yellowknife.
 - Moses will be acting.
- 3. 7 to 3 shift:
 - The 7 to 3 shift is now 8 to 4 on all days even weekends.
 - This is for better workflow and so that the person is not alone in the morning.
- 4. Micro being brought back:
 - We have brought back urines, throats and MRSA/VRE.
 - This will be done by the 12 to 8 shift.
 - We will see how this goes. Plan is to do this work from 12 to 4.
 - Accessioning can be left for the morning as long as samples are not timing out.

5. KV agar removed from LIS:

- If you notice the LIS adding KV agar, please let Laura S know.
- Moses asked why this was removed. Laura S said it is because this agar does not provide much benefit and is just extra supplies to order and read.
- If we notice we need it, we can bring it back.



Microbiology Laboratory Staff Meeting Minutes

October 7, 2020

12:15 to 13:00

Present: Laura S, Moses, Solomon, David, Laura G and Emily

- 6. Empty BioFire boxes:
 - Please save for core lab specimen receiving area. They can use them.
- 7. DexTerra tickets:
 - Please make sure Jennifer is copied on these.
 - Dexterra told people to just phone them but you need to put in a ticket so it can be documented.
- 8. Restarting computers before leaving:
 - If we restart our computers before we leave, they will be quicker the following day.
 - There is an issue with Medipatient on the front computer. A task with TSC will need to be entered to fix this.
- 9. Pouches on BioFire:
 - Laura S confirmed they can be kept on the instrument over night when finished.
 - There is no safety hazard with this.
- 10. QC plates and CSF kit:
 - Laura S asked to place these items to the left of the red bucket in the specimen fridge.
 - This is to leave the right hand side free for COVID samples.
- 11. Roundtable:
 - No one had anything.