PROGRAM Standard Operating Procedure – Laboratory Services				
Title: MIC20600 – Gram stain reporting in LIS-Bacterial Vaginosis Screens	Policy Number: 15-162-V1			
Program Name: Laboratory Services				
Applicable Domain: Lab, DI and Pharmacy Services				
Additional Domain(s): NA				
Effective Date: 15/05/2024 Next Review Date: 15/05/2026				
Issuing Authority:Date Approved:Director, Laboratory and Diagnostic15/05/2024Imaging Services15/05/2024				
Accreditation Canada Applicable Standard: NA				

Uncontrolled When Printed

GUIDING PRINCIPLE:

Bacterial vaginosis (BV) is a clinical syndrome in women during their childbearing years characterized by an abnormal vaginal discharge. BV is a common condition, but it is particularly important in pregnant women. It is a risk factor for obstetric sequalae such as low birth weight and premature delivery and is associated with preterm birth, miscarriage, amniotic infections, and postpartum endometritis. In BV, the predominant microbiota of the vagina shifts from normally predominant lactobacilli to a mixture of *Gardnerella vaginalis*, *Prevotella* spp., *Mobiluncus* spp. and other anaerobes.

PURPOSE/RATIONALE:

This standard operating procedure describes how to report the gram stain results of bacterial vaginosis screens in the LIS in a consistent manner.

SCOPE/APPLICABILITY:

This standard operating procedure applies to Medical Laboratory Technologists (MLTs) reporting bacteria vaginosis screens in the LIS.

SAMPLE INFORMATION:

Туре	•	Vagina Refer to MIC10100-Microbiology Specimen Processing
------	---	--------------------------------------------------------------

REAGENTS and/or MEDIA:

- Methanol
- Gram Crystal Violet
- Gram Iodine (Stabilized)

- Gram Decolorizer
- Gram Safranin

Disclaimer Message: This is a **CONTROLLED** document for internal use only. Any documents appearing in paper form are not controlled and should be checked against the electronic file version prior to use.

Policy Number: 15-162-V1

SUPPLIES:

- Glass microscope slide
- QC slide
- Immersion oil
- Slide storage tray

EQUIPMENT

- Hot plate
- Microscope

SPECIAL SAFETY PRECAUTIONS:

Containment Level 2 facilities, equipment, and operational practices for work involving infectious or potentially infectious materials or cultures:


- Ensure that appropriate hand hygiene practices be used
- Lab gown must be worn when performing activities with potential pathogens
- Gloves must be worn when direct skin contact with infected materials is unavoidable
- Eye protection must be used when there is a known or potential risk of exposure of splashes
- All procedures that may produce aerosols, or involve high concentrations or large volumes should be conducted in a biological safety cabinet (BSC)
- The use of needles, syringes and other sharp objects should be strictly limited

All patient specimens are assumed to be potentially infectious. Routine Practices must be followed. Since viable micro-organisms are used, all cultures must be handled with appropriate precautions. All equipment in contact with cultures should be decontaminated by appropriate methods.

QUALITY CONTROL:

- Quality control is performed daily
- A TQC order is automatically generated daily to record the QC results
- Refer to MIC60060-Microbiology Stain Quality Control

PROCEDURE INSTRUCTIONS:



	•	Enter the	e accession number on th	ne slide a	and sel	ect ent	er to m	nark the	
2	order Solost opter again to open Result Entry or double click on accession								
	 Select enter again to open Result Entry or double click on accession number to open 								
	Check the age of the patient. BV Screen is not performed on patients								
3	 ≤13 years of age Genital culture is performed on vaginal specimens if patient is 								
5	 Genital culture is performed on vaginal specimens if patient is ≤13 years of age 								
	• If patient is \leq 13 years of age, cancel the test SCBV and order CXGEN								
	Add one drop of immersion oil to the slide. Under oil immersion (X100, OIF) result the media GMBV using the GMBV 1 of 2 keypad								
	•		he quantity of epithelial of						
		•	ls, Trichomonas and bac	-				-	s:
			illus spp., gram variable and gram negative baci			-			
		vaginans			ioning /	loonan			
			None seen	N	o cells	seen			
4			1+		1 cell				
			1+		I Cell	seen			
			2+	1 -	9 cell	s seen			
	3+ 10 - 25 cells seen								
			3+	10 -	25 ce	lls see	n		
			3+ 4+	_	· 25 ce 25 cell				
			4+	> 2	25 cell	s seen			
	•	Use the o		> 2	25 cell	s seen		ple:	
	•	Use the o	4+ GMBV 2 of 2 keypad to	> 2	25 cell e N-sco	s seen		ple:	
	•		4+ GMBV 2 of 2 keypad to N-Sco Quantitation of	> 2 enter th re Tabl	25 cell e N-sco	s seen	ne sam		
	•	(bac	4+ GMBV 2 of 2 keypad to N-Sco Quantitation of terial morphotype	> 2 enter th re Tabl	25 cell e N-sco e	s seen	ne sam		
5	•	bac	4+ GMBV 2 of 2 keypad to N-Sco Quantitation of	> 2 enter th re Tabl	25 cell e N-sco e score	s seen ore of t d per i	he sam	otype	
5	•	bac <i>Lactoba</i> Med/larg	4+ GMBV 2 of 2 keypad to N-Sco Quantitation of terial morphotype cillus spp.:	> 2 enter the re Table Points None	25 cell e N-sco e score 1+	s seen ore of t d per 1 2+	he sam	otype 4+	
5	•	bac Lactobac Med/larg Gardner Small, g Mobilun	4+ GMBV 2 of 2 keypad to N-Sco Quantitation of terial morphotype cillus spp.: ge gram positive bacilli rella vaginalis:	> 2 enter the re Table Points None 4	25 cell e N-sco e score 1+ 3	s seen ore of t d per 1 2+ 2	he sam	otype 4+ 0	
5		bac Lactobac Med/larg Gardner Small, g Mobilund Curved,	4+ GMBV 2 of 2 keypad to N-Sco Quantitation of terial morphotype cillus spp.: ge gram positive bacilli rella vaginalis: gram variable bacilli cus spp.:	> 2 enter the re Table Points None 4 0 0	25 cell e N-sco e s score 1+ 3 1 1	s seen ore of t d per 1 2 + 2 2 1	ne sam norph 3+ 1 3 2	otype 4+ 0 4 2	

REPORTING INSTRUCTIONS:

IF		REPORT			
	1. In SCBV test, using the SCBV keypad, select Key 1:				
		ATIVE for Bacterial Vaginosis >SCBV2"			
	SCBV - 1 o				
	Key Te	xt			
	1 Sm	ear NEGATIVE for Bacterial Vaginosis ->SCBV2			
		LTF (altered indeterminate) >SCBV2			
		near consistent with Bacterial Vaginosis >SCBV2			
		ISF (scant or no cells)			
	1	N GRM N SCORE			
	2. Comment wil "Smear NEG	ATIVE for Bacterial Vaginosis"			
	3. Add commen	ts, if appropriate, from SCBV2 keypad:			
	SCBV	2 - 1 of 1 🛛 🕅 🖌 🔺 🗶			
	Key	Text			
	1	PMEN (>55yrs old)			
	2	YEAS (yeast seen)			
N Cooro io	3	PURU (3+ or more WBC)			
N-Score is 0 - 3	4	Trichomonas vaginalis seen in smear			
	SMIC-	STAIN GRMINISCORE			
	IF	ADD COMMENT			
	Patient is >55 Key 1	"Results may not be reliable in post- menopausal women. Correlate with the clinical picture".			
	Yeast cells seen Key 2	"Yeast Seen. Candida species are			
	3+ or 4+ WBC Key 3	"Purulence suggests the presence of another infection and/or inflammatory condition. Correlate with the clinical picture. Testing for <i>N. gonorrhoeae</i> and <i>C. trachomatis</i> may be indicated".			
	Trichomonas	"Trichomonas vaginalis seen in			
Key 4 smear" 4. Finalize SCBV					
		nt report and save			

IF			REPORT	
			g the SCBV keypad, select Key 2: ed indeterminate) >SCBV2".	:
		- 1 of 1		×
	Key	Text		
	1	Smea	ar NEGATIVE for Bacterial Vaginosis >SCB	V2
	2		F (altered indeterminate) >SCBV2	
	3		ar consistent with Bacterial Vaginosis >SCB	IV2
	4 SMIC		F (scant or no cells) GRM N SCORE	
	2. Comment wi			
	"Gram stain indetermina	n shov ate foi nts, if a	ws altered vaginal flora. Result r Bacterial Vaginosis appropriate, from SCBV2 keypad - 1 of 1	
		Key	Text	
		1	PMEN (>55yrs old)	
		2	}YEAS (yeast seen)	
		3	PURU (3+ or more WBC)	
N-Score is 4 - 6		4	Trichomonas vaginalis seen in smear	
		SMIC-S1	TAIN GRM N SCORE	
	IF		ADD COMMENT	
	Patient is > 55 years Key 1		"Results may not be reliable post-menopausal women. Correlate with the clinical picture".	
	Yeast cells seen Key 2		"Yeast Seen. Candida species normal flora in the genital at 30-40% of women. The pre- of yeast must be correlated clinical picture"	rea of sence
	3+ or 4+ WBC seen Key 3		"Purulence suggests the pre of another infection and/or inflammatory condition. Con with the clinical picture. Tes for <i>N. gonorrhoeae</i> and <i>C.</i> <i>trachomatis</i> may be indicate	rrelate sting
	Trichomonas s	seen	Trichomonas vaginalis seer	
	Key 4		smear"	
	4. Finalize SCB		art and cave	
	5. Preview insta	анс гер		

IF	REPORT					
	 In SCBV test, using the SCBV keypad, select Key 3: "Smear consistent with Bacterial Vaginosis >SCBV2" 					
	SCBV	- 1 of 1			×	
	Key	Text				
	1	Smea	r NEGATIVE for	Bacterial Vaginosis ->SCBV	/2	
	2		•	minate) >SCBV2		
	4		r consistent with (scant or no cell	Bacterial Vaginosis ->SCB\ a)	<mark>/2</mark>	
	1		RM N SCORE	101		
	 Comment wi "Smear cor Add commer 	ill appe isister nts, if a	ear as: nt with Bact	erial Vaginosis" rom SCBV2 keypad:		
		Key 1	Text	-1-D		
		1	}PMEN (>55yrs }YEAS (yeast si			
N-Score is		3)PURU (3+ or n			
7 - 10		4	Trichomonas va	aqinalis seen in smear		
	SMIC-STAIN GRM N SCORE					
	IF			DD COMMENT		
	Patient is > 55 years Key 1		post-meno	ay not be reliable i pausal women. vith the clinical	'n	
	Yeast cells seen Key 2		"Yeast Seen. Candida species are normal flora in the genital area of 30-40% of women. The presence of yeast must be correlated with clinical picture"		ea of ence	
	3+ or 4+ WBC seen Key 3		"Purulence suggests the presence of another infection and/or inflammatory condition. Correlate with the clinical picture. Testing for <i>N. gonorrhoeae</i> and <i>C.</i>		ture. 1d <i>C.</i>	
	Trichomonas s	een		<u>is may be indicated</u> nas vaginalis seen		
	Key 4		smear"			
	4. Finalize SCB 5. Preview insta		ort and save			
	J. THEVIEW HISL					

Disclaimer Message: This is a **CONTROLLED** document for internal use only. Any documents appearing in paper form are not controlled and should be checked against the electronic file version prior to use.

Policy Number: 15-162-V1

IF	REPORT				
	report:	-	ing the SCBV keypad, select Key 4 to or no cells)"		
	S	CBV -	· 1 of 1 H H A X		
	ĸ	Key	Text		
	1	1	Smear NEGATIVE for Bacterial Vaginosis >SCBV2		
Scant or no cells	2	2	<pre>}ALTF (altered indeterminate) >SCBV2</pre>		
seen on smear	3	3	Smear consistent with Bacterial Vaginosis >SCBV2		
	4	4)INSF (scant or no cells)		
	SM	AIC-ST	TAIN GRM N SCORE		
	2. Comment wil	ll ap	pear as:		
	"Insufficient sample to assess for vaginitis. Please recollect if clinically indicated"				
	3. Finalize SCBV				
	4. Preview instant report and save				

Step	Action
Comp	lete reading of BV slides
1	 Refresh GRM/MISC1of2 worklist If finished reading BV slides, ensure BVs remaining on worklist have been prepared to be read at a later time
2	Slides can be discarded in the sharps container. BV slides are not saved.

LIMITATIONS:

- 1. The presence or absence of clue cells is not part of the Nugent score and not required for diagnosis.
- 2. For post-menopausal patients, laboratory diagnosis of bacterial vaginosis has not been validated and interpretation of gram stain results needs to be considered. Ensure comment is added.
- For pre-pubescent girls (≤13 years), Bacterial Vaginosis should not be reported. Genital culture should be performed, and gram stain should be reported as per routine specimens. Refer to MIC20800-Gram stain resulting in LIS-Genital specimens.

CROSS-REFERENCES:

- MIC10100-Microbiology Specimen Processing
- MIC20800-Gram stain reporting in LIS-Genital specimens
- MIC60060-Microbiology Stain Quality Control

REFERENCES:

1. Leber, A. (2016). *Clinical microbiology procedures handbook.* (4thed.) Washington, D.C.: ASM Press

APPROVAL:

May 15, 2024

Date

Director, Laboratory and Diagnostic Imaging Services

REVISION HISTORY:

REVISION	DATE	Description of Change	REQUESTED BY
1.0	07 Feb 19	Initial Release	L. Steven
2.0	31 Mar 22	Procedure reviewed and added to NTHSSA policy template	L. Steven
3.0	20 Feb 24	Procedure reviewed	L. Steven