Title: MIC20130-Kinyoun Stain Type: Laboratory Services Program SOP

Issuing Authority: Director, Laboratory and Diagnostic Imaging Services Policy Number: 15-158-V1
Next Review Date: 12/04/2026 Date Approved: 12/04/2024

PROGRAM Standard Operating Procedure - Laboratory Services

Title: MIC20130 - Policy Number: 15-158-V1

Program Name: Laboratory Services

Applicable Domain: Lab, DI and Pharmacy Services

Additional Domain(s): NA

Effective Date: 12/04/2024 Next Review Date: 12/04/2026

Issuing Authority: Date Approved:
Director, Laboratory and Diagnostic Inaging Services

## **GUIDING PRINCIPLE:**

Accreditation Canada Applicable Standard: NA

The kinyoun stain is used in the microscopic detection of acid-fast microorganisms such as Mycobacterium. Acid-fast organisms have cell walls that are resistant to conventional staining by aniline dyes such as the Gram stain. Nonmycobacterial organisms with various degrees of acid-fastness include Rhodococcus species, Nocardia species, Legionella micdadei, and the cysts of Cryptosporidium, Isospora, Cyclospora and microsporidia.

#### **PURPOSE/RATIONALE:**

This standard operating procedure describes how to perform the kinyoun stain.

# **SCOPE/APPLICABILITY:**

This standard operating procedure applies to Medical Laboratory Technologists (MLTs) performing the kinyoun stain.

## **SAMPLE INFORMATION:**

Туре	Sputum samples with STAT AFB stain requested
------	--

# **REAGENTS and/or MEDIA:**

- Kinvoun Carbol-Fuchsin
- Carbol Fuchsin Decolorizer
- Carbol Fuchsin Counterstain (Methylene Blue)

#### **SUPPLIES:**

Glass microscope slide

QC slide

Immersion oil

Slide storage tray

**Disclaimer Message:** This is a **CONTROLLED** document for internal use only. Any documents appearing in paper form are not controlled and should be checked against the electronic file version prior to use.

Policy Number: 15-158-V1 Date Approved: 12/04/2024 Page 1 of 5

Title: MIC20130-Kinyoun Stain Type: Laboratory Services Program SOP

Issuing Authority: Director, Laboratory and Diagnostic Imaging Services

Policy Number: 15-158-V1

Date Approved: 12/04/2024

# **EQUIPMENT**

Microscope

#### **SPECIAL SAFETY PRECAUTIONS:**

Containment Level 2 facilities, equipment, and operational practices for work involving infectious or potentially infectious materials or cultures:

- Ensure that appropriate hand hygiene practices be used
- Lab gown must be worn when performing activities with potential pathogens
- Gloves must be worn when direct skin contact with infected materials is unavoidable
- Eye protection must be used when there is a known or potential risk of exposure of splashes
- All procedures that may produce aerosols, or involve high concentrations or large volumes should be conducted in a biological safety cabinet (BSC)
- The use of needles, syringes and other sharp objects should be strictly limited

All patient specimens are assumed to be potentially infectious. Routine Practices must be followed. Since viable micro-organisms are used, all cultures must be handled with appropriate precautions. All equipment in contact with cultures should be decontaminated by appropriate methods.

## **QUALITY CONTROL:**

- Quality control is performed as tested
- A TQC order is automatically generated when test is ordered to record the QC results
- Refer to MIC60060-Microbiology Stain Quality Control

## PROCEDURE INSTRUCTIONS:

Step	Action			
Performing the kinyoun stain				
1	Prepare a smear of the specimen to be stained. Refer to MIC10000- Microbiology Specimen Handling for slide preparation instructions.			
2	Place slide on the slide warmer in the BSC until dry.			
3	Flood the entire slide with Kinyoun Carbol Fuchsin Stain for 4 minutes and rinse thoroughly with tap water.			
4	Flood the slide with Carbol Fuchsin Decolorizer and decolorize until no more color drains from the slide (approx. 3 to 5 seconds). Rinse the slide thoroughly with tap water and shake off any excess moisture.			
5	Flood the slide with Carbol Fuchsin Counterstain (Methylene Blue) and allow the slide to stain for 30 seconds. Rinse thoroughly with tap water and allow to air dry. Do not blot.			
6	Examine the smear microscopically under a 100x oil immersion objective.			

**Disclaimer Message:** This is a **CONTROLLED** document for internal use only. Any documents appearing in paper form are not controlled and should be checked against the electronic file version prior to use.


Policy Number: 15-158-V1 Date Approved: 12/04/2024 Page 2 of 5

Title: MIC20130-Kinyoun Stain Type: Laboratory Services Program SOP


Issuing Authority: Director, Laboratory and Diagnostic Imaging Services

Policy Number: 15-158-V1 Next Review Date: 12/04/2026 Date Approved: 12/04/2024

## **INTERPRETATION OF RESULTS:**



#### **REPORTING INSTRUCTIONS:**



**Disclaimer Message:** This is a **CONTROLLED** document for internal use only. Any documents appearing in paper form are not controlled and should be checked against the electronic file version prior to use.

Policy Number: 15-158-V1 Date Approved: 12/04/2024 Page 3 of 5 Title: MIC20130-Kinyoun Stain Type: Laboratory Services Program SOP

Issuing Authority: Director, Laboratory and Diagnostic Imaging Services

Policy Number: 15-158-V1

Next Review Date: 12/04/2026

Date Approved: 12/04/2024

## **NOTE:**

 Refer to Reportable Diseases-Public Health Act as of September 2009 for reporting to OCPHO (HPU1)

- Refer to LQM70620-Laboratory Critical Results List-Microbiology for results that need to be phoned to ordering location
- Refer to MIC36100-Nosocomial Infection Notification Job Aid to determine if organism needs to be copied to Infection Prevention and Control
- Refer to MIC36200-Referral of Category A Specimens to APL for sending category A isolates to APL

#### LIMITATIONS:

- Rapidly growing mycobacteria may vary in their ability to retain acid-fast dyes and may fail to stain
- 2. Be aware of adequate safety precautions and procedures required when handling specimens that are submitted for mycobacterial evaluation
- 3. Mycobacterial staining should always be used as an adjunct to culture methods since culture techniques are much more sensitive than all acid-fast staining procedures

#### **CROSS-REFERENCES:**

- MIC10000-Microbiology Specimen Handling
- MIC36100-Nosocomial Infection Notification Job Aid
- MIC36200-Referral of Category A Specimens to Alberta Precision Laboratories
- MIC60060-Microbiology Stain Quality Control
- LQM70620-Laboratory Critical Results List-Microbiology

#### **REFERENCES:**

- 1. Clinical Microbiology Procedures Handbook, 4th edition, ASM Press, 2016
- 2. BD TB Stain Kits and Reagents package insert, 2024-03

**Disclaimer Message:** This is a **CONTROLLED** document for internal use only. Any documents appearing in paper form are not controlled and should be checked against the electronic file version prior to use.

Policy Number: 15-158-V1 Date Approved: 12/04/2024 Page 4 of 5

Title: MIC20130-Kinyoun Stain Type: Laboratory Services Program SOP

Issuing Authority: Director, Laboratory and Diagnostic Imaging Services

Policy Number: 15-158-V1 Next Review Date: 12/04/2026 Date Approved: 12/04/2024

APPROVAL:

April 12, 2024

Date

Director, Laboratory and Diagnostic Imaging Services

# **REVISION HISTORY:**

REVISION	DATE	Description of Change	REQUESTED BY
1.0	07 Feb 17	Initial Release	L. Steven
2.0	31 Mar 22	Procedure reviewed and added to NTHSSA policy template	L. Steven
3.0	19 Feb 24	Procedure reviewed	L. Steven

Disclaimer Message: This is a CONTROLLED document for internal use only. Any documents appearing in paper form are not controlled and should be checked against the electronic file version prior to use.

Page 5 of 5 Policy Number: 15-158-V1 Date Approved: 12/04/2024