

TRAINING UPDATE

Lab Location: SGAH & WAH
Department: Phlebotomy

Date Distributed: 10/10/2014
Due Date: 10/31/2014
Implementation: **11/1/2014**

DESCRIPTION OF PROCEDURE REVISION

Name of procedure:
Glucose Tolerance Testing Patient Instructions AG.F272.1
Description of change(s):
<p>Add instruction to notify lab staff if vomiting occurs</p> <p>This revised FORM will be implemented on November 1, 2014</p>

Document your compliance with this training update by taking the quiz in the MTS system.



- Shady Grove Adventist Hospital
- Washington Adventist Hospital

PATIENT NAME: _____

ROOM # / LOCATION: _____

TYPE OF TEST: 1 HR 2 HR 3 HR

**PATIENT GLUCOSE TOLERANCE TESTING SCHEDULE:
PATIENT COPY**

Patient Instructions:

1. Do not: Drink anything other than water, eat, smoke, chew gum, candy, cough drops etc. until completion of the test.
2. Remain at rest during the test in the laboratory patient waiting lounge.
3. Notify Lab personnel if you experience any of the following symptoms: nervousness, weakness, hunger, tachycardia, sweating, headache, blurred vision, double vision, mental confusion, incoherent speech bizarre behavior, loss of consciousness, or convulsion.
4. Please notify Lab personnel if you vomit.
5. Do not sleep after ingesting glucola

Time of Blood Draws			
Fasting	1 Hour	2 Hour	3 Hour



- Shady Grove Adventist Hospital
- Washington Adventist Hospital

PATIENT NAME: _____

ROOM # / LOCATION: _____

TYPE OF TEST: 1 HR 2 HR 3 HR

INSTRUCCIONES PARA EL EXAMEN DE TOLERANCIA A LA GLUCOSA COPIA DEL PACIENTE

Por favor siga las siguientes indicaciones:

1. NO tome ningún líquido diferente a agua, no coma, no fume, no mastique chicle, dulces, pastillas para la garganta, etc hasta que se haya completado en su totalidad el examen de sangre.
2. Permanezca sentado(a) en reposo en la sala de espera de Laboratorio durante el tiempo que dure el examen.
3. Notifique al personal de laboratorio si experimenta alguno de los siguientes síntomas: nerviosismo, debilidad, hambre, taquicardia, sudoración, dolor de cabeza, visión borrosa, visión doble, confusión mental, habla incoherente comportamiento extraño, pérdida del conocimiento o convulsiones.
4. **Por favor notifique` al personal del laboratorio si usted vomita.**
5. NO se duerma después de beber la Glucola.

Horario de Muestras de Sangre			
Ayunas	1 Hora	2 Horas	3 Horas