TRAINING UPDATE

Lab Location: Department:

SGAH & WAH Chemistry

 Date Distributed:
 11/10/2014

 Due Date:
 12/8/2014

 Implementation:
 12/9/2014

DESCRIPTION OF REVISION

Name of document:

Dimension Vista Calibrator Guide AG.F205.1

Description of change(s):

Removed calibrators for Iron, TIBC and HbA1c Updated calibration material for ALPI and LITH Removed opened off-board stability information

This FORM will be implemented on December 9, 2014

Document your compliance with this training update by taking the quiz in the MTS system.



Dimension Vista Calibrator Guide

Calibrator	Reagent	Storage Temp.	Calibrator Stability when in use
ALPI CAL	ALPI	2 – 8° C	Stable for 7 days on board Vista
BHCG CAL	BHCG	2 – 8° C	Stable for 7 days on board Vista
BILI CAL	TBIL, DBIL	2 – 8° C	Stable for 14 days on board Vista
CTNI CAL	CTNI	-20 to -10° C	Stable for 7 days on board Vista
MMB CAL	MMB	2 – 8° C	Stable for 7 days on board Vista
MYO CAL	MYO	-20 to -10° C	Stable for 7 days on board Vista
CHEM 1 CAL	BUN, CA, CHOL, CREA, GLU, LA, MG, UA	-25 to -15° C	Stable for 7 days on board Vista
CHEM 2 CAL	PHOS, SAL, TRIG	2 – 8° C	Stable for 1 day on board Vista
CHEM 3 CAL	CO2, ETOH, AMM	2 – 8° C	Stable for 1 day on board Vista
CHEM 4 CAL	ALB, TP	2 – 8° C	Stable for 7 days on board Vista
PROT 2 CAL	CRP	2 – 8° C	Stable for 12 days on board Vista
DRUG 1 CAL	PHNO, PTN, THEO	2 – 8° C	Stable for 15 days on board Vista
DRUG 2 CAL	ACTM, CRBM, GENT, TOBR, VALP, VANC	2 – 8° C	Stable for 15 days on board Vista
DRUG 4 CAL	DIG, LITH	2 – 8° C	Stable for 14 days on board Vista
ENZ 1 CAL	AMY, GGT, LIP	2 – 8° C	Stable for 7 days on board Vista
ENZ 2 CAL	ALTI, AST	2 – 8° C	Stable for 7 days on board Vista
ENZ 5 CAL	LDI	2 – 8° C	Stable for 7 days on board Vista
ENZ 6 CAL	CKI	-20° C or colder	Stable for 7 days on board Vista
LIPID CAL	HDLC	-25 to - 15° C	Stable for 7 days on board Vista
LOCI CAL	FT4, TSH	-25 to - 15° C	Stable for 7 days on board Vista
UCFP CAL	UCFP	2 – 8° C	Stable for 7 days on board Vista
UDAT CAL	AMPH, BARB, BENZ, COC, OPI, PCP, THC	2 – 8° C	Stable for 15 days on board Vista

AG.F205.1