TRAINING UPDATE

Lab Location: Department:

SGAH and WAH Blood Bank

Date Implemented: 01.30.2015 **Due Date:**

02.15.2015

DESCRIPTION OF PROCEDURE REVISION

Name of procedure:

Washed Red Blood Cells for Transfusion

Description of change(s):

I removed the references to codabar units in this procedure.

Electronic Document Control System



Document No.: WAH.BB61[1]

Title: WASHED RED BLOOD CELLS FOR TRANSFUSION

Owner: LESLIE.X.BARRETT LESLIE BARRETT

Status INWORKS

Effective Date: 28-Feb-2015

Next Review Date:

Non-Technical SOP

| Title | Washed Red Blood Cells for Transfusion | on | |
|-------------|--|------------------|--|
| Prepared by | Stephanie Codina | Date: 12/15/2010 | |
| Owner | Stephanie Codina | Date: 12/15/2010 | |

| Laboratory Approval | | | |
|---|-----------------------|------|--|
| Print Name and Title | Signature | Date | |
| Refer to the electronic signature page for approval and approval dates. | | | |
| | | | |
| | | | |
| Local Issue Date: | Local Effective Date: | | |

| Review: | | |
|------------|-----------|------|
| Print Name | Signature | Date |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

TABLE OF CONTENTS

| 1. | PURPOSE | 2 |
|----|------------------------|---|
| 2. | SCOPE | 2 |
| 3. | RESPONSIBILITY | 2 |
| | DEFINITIONS | |
| | PROCEDURE | |
| 6. | RELATED DOCUMENTS | 3 |
| 7. | REFERENCES | 3 |
| | REVISION HISTORY | |
| | ADDENDA AND APPENDICES | |
| | | |
| | | |

1. PURPOSE

Washed red blood cells are cellular blood products that are washed in saline to remove or reduce the amount of plasma, anticoagulant, preservative, leukocytes, platelets, and other cellular debris. Red blood cells are also washed to remove high levels of potassium for neonates in certain situations.

2. SCOPE

Washed red blood cells are indicated for the following situations:

- A. Multiple progressive allergic reactions in the recipient
- B. Antibodies against immunoglobulin A (IgA) in the recipient when IgA-deficient cellular blood products are not available
- C. Antibodies against haptoglobin in the recipient
- D. To remove high levels of potassium prior to neonatal transfusion (in some situations)

3. RESPONSIBILITY

All blood bank staff members must understand when washed red blood cells are indicated and how to order and process them.

4. **DEFINITIONS**

None

5. PROCEDURE

| Step | Action | | |
|------|---|--|--|
| 1 | When washed red blood cells are ordered for a patient, the "IGAD" marker is | | |
| | placed into the patient's historical blood bank information. | | |
| | A. Refer to procedure, "Entering Special Transfusion Attributes into the | | |
| | LIS." | | |

orm revised 3/31.00

| Step | Action | | |
|------|--|--|--|
| | B. If the washed red cells are ordered for a neonate, add a comment indicating such. The patient will not need washed red cells permanently. | | |
| 2 | Washed red blood cells are not manufactured in-house and must be ordered from a blood supplier. A. The American Red Cross in Baltimore does not wash red cells. B. If time does not permit transfer of washed red blood cells into the region, frozen deglycerolized red blood cells are an equivalent, alternative product. | | |
| 3 | Contact the American Red Cross Reference Laboratory to order the product. A. Provide ARC with the recipient's name, blood type, antigen typing (if indicated), number of units needed, and date/time of transfusion. B. Request the time that the units will be available and dispatch a courier to pick up the units from Baltimore. C. Note: Washed red blood cells have an expiration date of 24 hours. Efficient transport is critical. | | |
| 4 | When the units arrive in the blood bank, process them per procedure, "Entering Blood Products Into Inventory." | | |
| 5 | Crossmatch and issue the blood products per routine procedures. | | |
| 6 | Washed and/or deglycerolized red blood cells are stored at 1-6°C for up to 24 hours. | | |

6. RELATED DOCUMENTS

SOP: Entering Special Transfusion Attributes into the LIS

SOP: Entering Blood Products into Inventory

7. REFERENCES

1. Fung, M.K., Grossman, B.J., Hillyer, C.D., Westoff, C.M., 2014. Technical Manual of the AABB, 18th ed. AABB Publishing, Bethesda, Maryland.

2. Standards for Blood Banks and Transfusion Services, 29th ed. AABB Publishing, Bethesda, Maryland.

8. REVISION HISTORY

| Version | Date | Reason for Revision | Revised By | Approved By |
|---------|-----------|---|---------------|----------------|
| | | Supersedes SWB.022.000 | | |
| 000 | 1.27.2015 | Section 5: Removed codabar referenced from procedure. Footer: version # leading zero's dropped due to new EDCS in use as of 10/7/13 | SCodina | NCacciabeve |
| | | | | - |
| | | | | |
| | | | | |
| | L | | | |

9. ADDENDA AND APPENDICES N/A