

Codina, Stephanie L

From: Immucor <notifications@immucor.com>
Sent: Friday, May 01, 2015 12:52 PM
To: Codina, Stephanie L
Subject: Immucor News - Label Conversion to HCS Format

Is this email not displaying correctly?
[View it in your browser.](#)



May 1, 2015

Dear Immucor Customer,

This letter is to inform you that over the coming months we will be converting our product labeling to the Hazard Communication Standard (HCS) 2012 (UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)) format. This will include changes to our product labels, package inserts, and Safety Data Sheets (SDS). As part of this labeling change, we will also be using this opportunity to update our branding (logo and colors) on the materials listed above.

For our Serology portfolio, you will begin to see these changes with antisera shipments starting in June. Due to the shelf life of our antisera products, we anticipate it will take approximately 12 months before all of our antisera product labels are converted. Reagent Red Blood Cells and Capture® products will begin to be converted at the end of August and we anticipate it will take approximately 3 months to convert these product lines.

Based on the various manufacturing facilities used to manufacture our Serology, Molecular, Hemostasis, Platelet Portfolio, HLA Donor Screening and Transplant products, some product lines will be transitioning with different timelines and you will receive a more detailed communication regarding other product lines you may purchase from Immucor.

If you have any questions or concerns regarding the conversion of our labeling to the Hazard Communication Standard (HCS) 2012 format, please contact Immucor Technical Support at 855.IMMUCOR (855.466.8267).

Thank you for your continued business and support during this product labeling transition.

Regards,



Amanda Gallagher
Marketing Manager, North America
Immucor, Inc.

Copyright © 2015 Immucor, All rights reserved.

You are receiving this email because you are a registered member of the Immucor Customer Center.

Our mailing address is:

Immucor
3130 Gateway Drive
Norcross, GA 30091

[Add us to your address book](#)

[unsubscribe from this list](#) | [update subscription preferences](#)