

## Quest Diagnostics at

# Shady Grove Medical Center and Washington Adventist Hospital

#### **MEETING**

#### **MINUTES**

#### 7.5.2016

PRESENT: WAH: 7.5.2016 @ 0650-0725 STEPHANIE CODINA, YESHIWAS BELEW, MARIA MORRIS, VANESSA ROBINSON

SGMC: 7.6.2016 @ 0700-0740 STEPHANIE CODINA, MILKA GEBREGZIABEHAIR, YVONNE NGWA, DIPTI PATEL

**DISTRIBUTION:** BLOOD BANK STAFF MEMBERS

#### MEETING COMMENCED:

Item Minutes	Discussion	Action	Follow-up
Everyday Excellence	We reviewed the 4 modules for "I am a Professional."	Review the modules on	None
	<ol> <li>Responsible Professional</li> <li>Trust and Respect</li> <li>Put a Little Polish On It</li> <li>Help, Please</li> </ol>	MTS and sign off understanding.	1020
ARC	Did everyone complete the ARC online ordering modules? If not, please complete ASAP.	All staff complete online modules	None
Frainers/Competency	We will be scheduling the train the trainer/competency assessors course soon	Tell Stephanie if you are willing to be a trainer/competency assessor	None
Oress Standards	<ul> <li>The Adventist dress code changed. Please review changes on MTS. Reminder that the following apply to anyone going in a patient room: <ol> <li>If hair is below the neckline, you must pin it back.</li> <li>No rings allowed; only a wedding ring.</li> <li>Fingernails must be &lt; 1/8" in length. If polished, polish cannot be chipped or cracked at all.</li> <li>Cover any tattoos.</li> </ol> </li> </ul>	Comply with dress code	All staff
Open Forum	<ol> <li>We are seeing a lot of duplicate TRRC orders. How do we handle?         <ol> <li>Call RN and ask what the patient actually requires.</li> <li>Cancel duplicate TRRC orders and fill the others.</li> </ol> </li> <li>This is a Cerner issue. It may not get resolved anytime soon.</li> </ol>	<ol> <li>Cerner people working on the duplicate orders.</li> <li>Stephanie to follow up with Jamie (OR educator)</li> </ol>	Stephanie
	2. Still seeing problems with OR blood	regarding issues.	

Item	Discussion	Action	Follow-up
	requests. Form not completed, missing armband, tubing forms for multiple units when a cooler is required, etc.	RPM stickers     accidently     removed by	
	3. RPM stickers are missing on the centrifuges.	biomed. Staff to reprint.	

### Meeting adjourned

Next meeting the week of Aug 1, 2016

Stephanie Codina
Recording Secretary