



STANDARDIZED TESTING / OPERATING PROTOCOL REQUEST/ANNOUNCEMENT

Test Menu Update: Cone Health Will No Longer Offer Fluid HCT (FHCT) Testing

Description:	The Cone Health laboratories will no longer offer FHCT testing.
Implementation Date:	04/11/2017
Performing Locations:	<p>Click on the boxes that apply:</p> <p><input checked="" type="checkbox"/> Annie Penn Hospital <input checked="" type="checkbox"/> Moses Cone Hospital <input type="checkbox"/> Med Center at High Point <input type="checkbox"/> Wesley Long Hospital <input type="checkbox"/> Women's Hospital <input checked="" type="checkbox"/> Alamance Regional</p>
Affected Locations:	<p>Click on the boxes that apply:</p> <p><input checked="" type="checkbox"/> Annie Penn Hospital <input checked="" type="checkbox"/> Moses Cone Hospital <input checked="" type="checkbox"/> Med Center at High Point <input checked="" type="checkbox"/> Wesley Long Hospital <input checked="" type="checkbox"/> Women's Hospital <input checked="" type="checkbox"/> Alamance Regional</p>
Affected Departments:	<p>Click on the boxes that apply:</p> <p><input type="checkbox"/> Blood Bank <input type="checkbox"/> Cytology <input type="checkbox"/> Flow Cytometry <input type="checkbox"/> Histology <input type="checkbox"/> Microbiology <input type="checkbox"/> Phlebotomy <input type="checkbox"/> Point of Care <input checked="" type="checkbox"/> Rapid Response Lab <input type="checkbox"/> Respiratory Therapy <input checked="" type="checkbox"/> Specimen Processing</p>

Specimen Type:	Body Fluids, Blood
Updated Clinical Lab Procedures:	QM-1733-CH Centrifuge Maintenance QM-1733L1-CH Monthly Centrifuge Maintenance Sheet QM-1720C-MC Test Menu and Proficiency Testing Environment Moses Cone Hospital QM-1720-AP Test Menu and Proficiency Testing Environment Annie Penn Hospital
Retired Clinical Lab Procedures:	HEME-0529-CH Hematocrit, Manual Method HEME-0529F-CH Constant Packing Time Check (Microhematocrit Centrifuge) QM-1517L6-CH Comparability of Instruments Worksheet Sysmex to Manual QM-1741F23-CH Manual HCT Blind Sample Worksheet QM-1742F3-CH Manual HCT Direct Observation Form Manual HCT Training Checklist and Quiz
Notification to Client:	<p>Click on the boxes that apply:</p> <p><input type="checkbox"/> Section Not Applicable</p> <p><input type="checkbox"/> Memo Needed</p> <p>Memo not needed per Dr. Tara Rubinas and Dr. John Patrick → They will contact the ordering physicians at their respective locations and inform them of the cease in testing.</p> <p>Distribution of Memo:</p> <p><input type="checkbox"/> Medical Staff</p> <p><input type="checkbox"/> Allied Health Professionals (PA, Nurse Practitioners)</p> <p><input type="checkbox"/> Anesthesia</p> <p><input type="checkbox"/> Annie Penn (Primary Source Physicians)</p> <p><input type="checkbox"/> Dentist</p> <p><input type="checkbox"/> Emergency Department/Urgent Care Centers</p> <p><input type="checkbox"/> Family Practice</p> <p><input type="checkbox"/> Infectious Docs #ID Docs (John Campbell, Robert Comer, Jeffrey Hatcher, Cynthia Snider, Kees Van Dam)</p> <p><input type="checkbox"/> OB/GYN</p> <p><input type="checkbox"/> Pathology</p> <p><input type="checkbox"/> Pediatricians</p> <p><input type="checkbox"/> Psych</p> <p><input type="checkbox"/> Radiology</p> <p><input type="checkbox"/> Surgery</p> <p><input type="checkbox"/> #Nursing Leadership (Directors, Asst. Directors, Clinical Nurse Manager)</p> <p><input type="checkbox"/> Pharmacy - Send to DeAnne Brooks & Jim Hasspacher</p> <p><input type="checkbox"/> #IM Residents</p> <p><input type="checkbox"/> Kim Helsabeck</p> <p><input type="checkbox"/> Phlebotomy Managers and Supervisors</p> <p><input type="checkbox"/> Point of Care: Sheila, Kim & Marty</p>

<p>Accreditation Section:</p>	<p>Click on the boxes that apply:</p> <p><input type="checkbox"/> Section Not Applicable</p> <p><input checked="" type="checkbox"/> CAP Test menu change needed</p> <p>Remove Waived Hematocrit from CAP Test Menus</p> <p><input type="checkbox"/> CMS Analyte form change needed</p> <p><input type="checkbox"/> Proficiency Testing surveys changes needed or ordered</p>
<p>Laboratory IT section:</p>	<p>Click box and type needed changes/additions:</p> <p><input type="checkbox"/> Section Not Applicable</p> <p><input checked="" type="checkbox"/> LIS changes</p> <p>Deactivate FHCT order in CHL and Sunquest</p> <p><input type="checkbox"/> Reference range change/addition</p> <p><input type="checkbox"/> Technical Failure change/addition</p> <p><input type="checkbox"/> Critical Value change/add</p> <p><input type="checkbox"/> Text comments needed</p> <p><input type="checkbox"/> Specimen collection instructions</p> <p><input type="checkbox"/> Need to monitor TAT</p> <p><input type="checkbox"/> CPT code for tests(s)</p>
<p>Technical Staff Update:</p>	<p>All Locations Update: The laboratories will no longer offer FHCT testing.</p> <p>Annie Penn and Moses Cone: The AP and MC laboratories will retire manual HCT testing for blood and body fluids. Manual hematocrit centrifuges must be removed from use, decontaminated, and stored.</p> <p>Alamance Regional Locations: The Alamance laboratories will no longer send FHCT testing to LabCorp. The test is no longer available. The laboratories will continue to perform manual HCT testing on blood as required with Beckman Coulter hematology analyzers.</p>
<p>STOP Initiator:</p>	<p>Derick Lane</p>
<p>Alamance Medical Director Signature:</p>	<p>Quality Department will obtain signature:</p> <p><i>Eric C. Robinson M.D.</i> 3/27/17</p>
<p>GSO/Reidsville Medical Director Signature:</p>	<p>Quality Department will obtain signature:</p> <p><i>John Patterson, MD</i> 3/27/17</p>