

## Kesler-Cribb, Sigrid

---

**From:** Kesler-Cribb, Sigrid  
**Sent:** Tuesday, December 11, 2018 2:42 PM  
**To:** Ballister, Kim; Barr, Kimberly; Beaman, Jeff; Bennett, Crystal (MHC-MC-Phlebotomy Services); Boyer, Mike; Cleveland, Thomas; Creasman, Tammy; Cruthis, Sheila; Dyson, Quanisha; Farmer, Jacee; Garcia, Amber; Hamlett, Paula; Hicks, Teri; Hogan, Donna; Holmes, Karen; Ingle, Esther (WL); James, Kelly; 'John (jdpatrick@auroradx.com)'; Kennedy, Tonya; Kish, Joshua; Kriegel, Patti; Lane, Derick; Lawson, Shelley; Lax, Amy; Lineberry, Ryan W; Manuel, Kathy; Mitchell, Shirley; Mohr, Mel; Morton, Melinda; Mullins, Tammy; O'Laughlin, Theresa; Olney, Mary S; Pegram, Jill; Roy, Sherry (Solstas); Rubinas, Tara C; Singletary, Demetria; Strickland, Marti; Turner, Wendy; Vanhoorne, Sara; Woolard, Kerri; Wright, Teresa; Younts-Meredith, Amy; Edens, Charlie; Shue, Amanda; 'Kish, Joshua'; Vestal, Mathieu; Wilkins, Vincent; Lyrila, Kathleen; Bialek, Sandy  
**Cc:** Kesler-Cribb, Sigrid  
**Subject:** STOP Notifications Effective December 18,2018  
**Attachments:** 12.18.18 STOP notification Dry Ice safety ay Inspection checklist changes .pdf; 12.18.18 STOP Notification UDS Result Comment.pdf; 12.18.18 STOP Notification ARMC moving to 24 hr DXC 660i QC.pdf; 12.18.18 STOP Notification Sunquest GUI resulting .pdf; 12.18.18 STOP Notification MC Implementing PBP2.pdf; 12.18.18 STOP Notificaiton WL performing Lipid panel.pdf; 12.18.18 STOP Notification ARMC Xpress GAS PCR on Infinity .pdf

## STOP's Notifications Effective December 18, 2018

### System Wide STOP Dry Ice safety and Safety Inspection Changes

New CAP checklist question requires a policy for the safe handling of dry ice along with documented training. The monthly and quarterly safety checklists were updated to reflect these changes along with additional changes for clarity.

### System Wide STOP Drug Screen Report

Urine Drug screen report will identify the detected drugs as parent compounds, metabolites or impurities to comply with CAP updated standard.

### ARMC: STOP Moving to 24 hours DXC 660i QC

ARMC main is changing from QC every 12 hours to once every 24 hours on the DxC660i.

### Greensboro/Reidsville STOP Sunquest GUI resulting

Change from Flexilab OEM and MEM to GUI resulting in Sunquest.

### Moses Cone Microbiology STOP PBP2 Latex Agglutination

PBP2 issued as a confirmatory test for MRSA due to an advisory notice that was sent by Biomerieux.

### Wesley Long STOP WL will begin performing Lipids

Wesley Long to perform Lipid panels in house

### ARMC STOP Xpress GAS (Group A Strep) PCR testing on Infinity at ARMC

Express GAS testing on the Infinity. The POCT testing rapid strep A perfume in the ED will cease and PCR testing will begin in the main laboratory.

Thanks

Sigrid 😊

Sigrid Kesler-Cribb, MT (ASCP)

**Cone Health** | Laboratory Quality Manager

Direct Dial: 336.832.7571 | Fax: 336.832.8270

Website: [conehealth.com](http://conehealth.com)



### Standardized Testing / Operating Protocol Request

General Information			
<b>Title of STOP:</b>	Xpress GAS PCR testing on Infinity at ARMC		
<b>Requestor Name:</b>	Jacee Farmer	<b>Submission Date:</b>	11/30/18
<b>Description:</b>	Express GAS testing on the Infinity. The POCT testing rapid strep A performed in the ED will cease and PCR testing will be in the main laboratory.	<b>Target Date:</b>	12/18/18
Performing Location(s)	Affected Location(s)	Affected Department(s)	
<input type="checkbox"/> Alamance Cancer Center <input type="checkbox"/> High Point Cancer Center <input type="checkbox"/> Wesley Long Cancer Center <input checked="" type="checkbox"/> Alamance Regional <input type="checkbox"/> Annie Penn Hospital <input type="checkbox"/> MedCenter @ High Point <input type="checkbox"/> MedCenter @ Mebane <input type="checkbox"/> Moses Cone Hospital <input type="checkbox"/> Wesley Long Hospital <input type="checkbox"/> Women's Hospital	<input type="checkbox"/> Alamance Cancer Center <input type="checkbox"/> High Point Cancer Center <input type="checkbox"/> Wesley Long Cancer Center <input checked="" type="checkbox"/> Alamance Regional <input type="checkbox"/> Annie Penn Hospital <input type="checkbox"/> MedCenter @ High Point <input type="checkbox"/> MedCenter @ Mebane <input type="checkbox"/> Moses Cone Hospital <input type="checkbox"/> Wesley Long Hospital <input type="checkbox"/> Women's Hospital	<input type="checkbox"/> Blood Bank <input type="checkbox"/> Cytology <input type="checkbox"/> Flow Cytometry <input type="checkbox"/> Histology <input checked="" type="checkbox"/> Microbiology <input type="checkbox"/> Phlebotomy <input checked="" type="checkbox"/> Point of Care <input type="checkbox"/> Rapid Response Lab <input type="checkbox"/> Respiratory Therapy <input checked="" type="checkbox"/> Specimen Processing	
Training / Competency			
<b>Training</b>	<b>Training Required?</b>	<input checked="" type="checkbox"/> YES * <input type="checkbox"/> NO	
	Training checklist needs to be created or revised?	<input checked="" type="checkbox"/> YES * <input type="checkbox"/> NO	
<b>Competency Forms</b>	Competency Log, Observation form or Blind Sample form needs to be created or revised?	<input checked="" type="checkbox"/> YES * <input type="checkbox"/> NO	
<b>Quizzes</b>	Quiz needs to be created or revised?	<input checked="" type="checkbox"/> YES * <input type="checkbox"/> NO	
<b>* If Yes to the above, Explain:</b> Modified existing checklist for differences between BactAlert and Virtuo. Training to be complete by 12/17/18.			
Training / Competency			
<b>Document Control</b>	Document updates needed?	<input checked="" type="checkbox"/> YES * <input type="checkbox"/> NO	
	If Yes, Have docs been submitted to MD?	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	
<b>* If Yes, List:</b>	New / Revised Docs:	MICRO-727 Xpress Strep A	
	Retired Documents:	N/A	
<b>IQCP</b>	Does Current Test have a IQCP?	<input checked="" type="checkbox"/> YES * <input type="checkbox"/> NO	
	Will New Test need a IQCP?	<input checked="" type="checkbox"/> YES * <input type="checkbox"/> NO	
<b>* If Yes, Explain:</b> Risk Assessment performed and documented. IQCP will be in place. Refer to Micro IQCP procedure MICRO-150.			
<b>Notification to Client</b>	Memo/Notification Needed?	<input checked="" type="checkbox"/> YES * <input type="checkbox"/> NO	
<b>* If yes, mark Distribution below and include memo/notification with STOP Request</b>			
	<input type="checkbox"/> GSO/Reidsville Medical Staff <input type="checkbox"/> ARMC Medical Staff <input type="checkbox"/> Infection Prevention - Melissa Morgan <input type="checkbox"/> Pharmacy - DeAnne Brooks / Jim Hasspacher <input type="checkbox"/> #Nursing Leadership (Directors, Asst. Directors, Clinical Nurse Manager)		
<b>Memo/Notification Notes:</b>			
<b>Accreditation:</b>	CAP Test Menu Changes Needed?	<input checked="" type="checkbox"/> YES * <input type="checkbox"/> NO	



### Standardized Testing / Operating Protocol Request

<b>Title of STOP:</b>	Xpress GAS PCR testing on Infinity at ARMC		
<b>* If Yes, Explain:</b>	<b>CMS Analyte Form Changes Needed?</b>	<input type="checkbox"/> YES *	<input checked="" type="checkbox"/> NO
	<b>PT Survey Changes / Orders Needed?</b>	<input checked="" type="checkbox"/> YES *	<input type="checkbox"/> NO
	Strep A, nucleic acid amplification (FDA-approved) added to test menu D1 CAP Proficiency Survey ordered.		





### Standardized Testing / Operating Protocol Request

<b>Title of STOP:</b> Xpress GAS PCR testing on Infinity at ARMC			
<b>Billing</b>			<input type="checkbox"/> Section Not Applicable
<b>Changes</b> <i>* If Yes, Explain:</i>	<b>Billing Changes Required?</b>		<input type="checkbox"/> YES * <input type="checkbox"/> NO
	<b>CPT/LOINC Code:</b>	87651	
	<b>CDM #:</b>		<b>CDM Modifier:</b>
<b>Technical Changes</b>			<input type="checkbox"/> Section Not Applicable
<b>Assigned System Administrator:</b>			
<b>Select One:</b> <input checked="" type="checkbox"/> <b>New Test / Instrument</b> <input type="checkbox"/> <b>Existing Test / Instrument</b>			
Please indicate any necessary changes / additions below or mark N/A <i>Explain Changes / Additions &amp; Attach patient report example or instrument printout</i>			
<b>Reference Range:</b>	<input type="checkbox"/> N/A	Detected - Not Detected	
<b>Critical Result:</b>	<input checked="" type="checkbox"/> N/A		
<b>Delta Check:</b>	<input checked="" type="checkbox"/> N/A		
<b>Technical/Clinical Range:</b>	<input checked="" type="checkbox"/> N/A		
<b>Autodilution:</b>	<input checked="" type="checkbox"/> N/A		
<b>Middleware Rules:</b>	<input checked="" type="checkbox"/> N/A		
<b>Text/Comment Code:</b>	<input checked="" type="checkbox"/> N/A		
<b>QC Code:</b>	<input checked="" type="checkbox"/> N/A		
<b>Specimen Requirements:</b>	<input type="checkbox"/> N/A	Eswab	
<b>Specimen Type:</b> Eswab (Throat)			
<b>Container/ Tubes:</b>			
		<b>Preferred:</b>	
		<b>Acceptable:</b>	
		<b>Required Volume:</b>	N/A
		<b>Minimum Volume:</b>	N/A
<b>Special Collection Instructions:</b>			
<b>Autoverification Desired:</b> <input checked="" type="checkbox"/> YES * <input type="checkbox"/> NO <input type="checkbox"/> N/A			
<b>ITS Tech Review been initiated / scheduled? *</b> <input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A <small>* Required if test is on network</small>			
<b>IT Information</b>			<input type="checkbox"/> Section Not Applicable
<b>Computer Systems Involved:</b>		<input type="checkbox"/> Sunquest <input type="checkbox"/> Harvest	<b>Order Code:</b>
		<input type="checkbox"/> PowerPath <input type="checkbox"/> WindowPath	<b>Worksheet:</b>
<b>Analyzer Interface</b>	<b>Analyzer Interface Required?</b>	<input checked="" type="checkbox"/> YES * <input type="checkbox"/> NO	<b>* If Yes, Please explain</b>
	<b>Middleware Needed?</b>	<input type="checkbox"/> YES * <input type="checkbox"/> NO	
<b>Test Info</b>	<b>Order Code Assigned?</b>	<input checked="" type="checkbox"/> YES * <input type="checkbox"/> NO	<b>Test Code(s) Assigned:</b> GASPCR
<b>Pre-Live Documentation Complete:</b> <input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A			



### Standardized Testing / Operating Protocol Request

<b>Title of STOP:</b> Xpress GAS PCR testing on Infinity at ARMC	
<b>Medical Director Approval</b> <i>Quality Department will obtain signatures</i>	
<b>Alamance Regional Medical Director:</b> (Signature/Date)  12/7/18	<b>MedCenter Mebane Medical Director:</b> (Signature / Date) Not Applicable
<b>Greensboro/Reidsville Medical Director:</b> (Signature/Date) Not Applicable	<b>Cancer Centers Medical Director:</b> (Signature / Date) Not Applicable

<p><b>STOP Notification</b></p>	 <p><b>Xpress GAS PCR Infinity testing at ARMC</b>  <i>This has been approved by the Laboratory Medical Directors</i></p>	
<p><b>When:</b></p>	<p>December 18,2018</p>	
<p><b>What:</b></p>	<p>Xpress GAS testing - Rapid Strep A testing conversion to PCR method at ARMC</p>	
<p><b>Who is Affected:</b></p>	<p style="text-align: center;"><b>Location(s)</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Alamance Cancer Center</li> <li><input type="checkbox"/> High Point Cancer Center</li> <li><input type="checkbox"/> Wesley Long Cancer Center</li> <li><input checked="" type="checkbox"/> Alamance Regional</li> <li><input type="checkbox"/> Annie Penn Hospital</li> <li><input type="checkbox"/> MedCenter @ High Point</li> <li><input type="checkbox"/> MedCenter @ Mebane</li> <li><input type="checkbox"/> Moses Cone Hospital</li> <li><input type="checkbox"/> Wesley Long Hospital</li> <li><input type="checkbox"/> Women's Hospital</li> </ul>	<p style="text-align: center;"><b>Department(s)</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Blood Bank</li> <li><input type="checkbox"/> Cytology</li> <li><input type="checkbox"/> Flow Cytometry</li> <li><input type="checkbox"/> Histology</li> <li><input checked="" type="checkbox"/> Microbiology</li> <li><input type="checkbox"/> Phlebotomy</li> <li><input type="checkbox"/> Point of Care</li> <li><input type="checkbox"/> Rapid Response Lab</li> <li><input type="checkbox"/> Respiratory Therapy</li> <li><input checked="" type="checkbox"/> Specimen Processing</li> </ul>
<p><b>Why?</b></p>	<p>Current rapid kit test requires confirmation reflex testing of culture for negatives. New PCR method is more sensitive and does not require reflex testing.</p>	
<p><b>What you will need to do to prepare:</b></p>	<p>ED staff must learn the new collection device for PCR strep testing.                      ED will be notified to discontinue POCT rapid strep testing on 12/18/18.                      All ARMC lab staff trained and procedures reviewed.                      LIS testing of test code to the Infinity and resulting.</p>	
<p><b>Need Help?</b></p>	<p>Contact Jacee Farmer or Susan Rhew</p>	



Example of PreLive Sunquest Result

Moses Cone Memorial Hospital  
1200 N. Elm Street  
Greensboro, NC 27401

INTERIM REPORT

NAME: TEST, LABROB

MRN : 212907

LOC: 3WC

ROOM: 3W01C-0

AGE: 23M

SEX: M

ACCT: 100033869

MD: SWORDS, BRUCE H

DOB: 01/01/2017

T2094 COLL: 11/20/2018 17:00 REC: 11/20/2018 17:05 PHYS: LESCHBER, VALERI

Group A Strep by PCR

Group A Strep by PCR

\* DETECTED

[NODT]

{AH}

{AH} = Performed at Alamance Hospital Lab, 1240 Huffman Mill Rd.,  
Burlington, NC 27215

*John B. Kelso*  
12/11/18

TEST, LABROB

PRINT DATE: 12/06/2018

END OF REPORT

PRINT TIME: 10:32

PAGE 1



## Example of PreLive CHL Result

**212907 TEST,LABROB**

DOB 01/01/2017 (22M) Sex M Soc Sec # Alt phys 1: SWORDS,BRU... Dx (U) AAA (abdominal aortic aneurysm, ruptured Chronic bilateral low back pain with lef Chronic bilateral low back pain with lef real sick  
 Hospital ID MC Location 3W01C-01 (3WC) Alt phys 2: NAGAPPAN,SU... Evt Crmt (S)

RACED

Accession: T2094 (Active)

Style: Order Detail  Results Audit Trail  Select  All

---

T2094 Collect D/T: 11/20/2018 1700 Receive D/T: 11/20/2018 1705  
 Order physician: LESCHBER,VALERIE A Order account #: 100033869 Order location: 3WC  
 Group A Strep by PCR  
 Group A Strep by PCR

\* DETECTED [NODT] (1173) (AH)

\*\*\* END OF REPORT \*\*\*

Epic Hyperspace - CHL-CASE MANAGEMENT - Cone Health TST - MIKE B.

Test, Labrob Male, 22 m.o., 01/01/2017 MRN: 000212907

Language: English Hoap or ED Adm Risk (%): N/A Specialty Comments: My Pat List Reminders: None + My Sticky Note: Allergies Unknown: Not on File Adm 8 mon: N... ED visit 6 moa... Research None PCP: Leschbe... MyChart: Inactive Code: Not on... Primary Cvg: None THN Active Status: None Secondary Cvg: None CSN: None Outside Info: None Infection: None Isolation: None

**Chart Review**

Encounters Notes Labs Micro Imaging Meds Procedures CV Proc ECG CV Strips Media Surgeries Other Orders Episodes Letters Referrals Misc Rpts LDAs Pat Sum Extra

Preview Refresh (10:43 AM)  Selected  Deselect All  Review Selected Lab Flowsheet Route Add to Bookmarks

▼ Filters  Hide Canceled  w/Results  Micro  Path/Cyto  Misc Tests

Date/Time	Test	Status	Encounter T
11/26/2018 10:49	Aerobic Culture (sup...	Completed ...	Hospital En
11/26/2018 10:42	Cath Tip Culture	Completed ...	Hospital En
11/26/2018 10:32	Aerobic Culture (sup...	Completed ...	Hospital En
11/21/2018 11:30	Allergens w/Total IgE...	Completed ...	Hospital En
11/21/2018 10:30	Thiopurine methyltran...	Completed ...	Hospital En
11/21/2018 09:30	Infliximab (IFX) Conc...	Completed ...	Hospital En
11/21/2018 08:30	Antifungal Suscep, Fl...	Completed ...	Hospital En
11/21/2018 08:00	Antifungal Suscep, Fl...	Completed ...	Hospital En
11/20/2018 17:00	Group A Strep by PCR	Completed ...	Hospital En
11/20/2018 13:00	Allergens w/Total IgE...	Completed ...	Hospital En
11/20/2018 13:00	Infliximab (IFX) Conc...	Completed ...	Hospital En
11/20/2018 13:00	Thiopurine methyltran...	Completed ...	Hospital En

**Group A Strep by PCR**

Status: Final result Visible to patient: No (Not Released) Next appt: None

Specimen Information: Saliva

Group A Strep by PCR Ref Range & Units 10d ago  
 NOT DETECTED **DETECTED !**

Resulting Agency CH CLIN LAB  
 Specimen Collected: 11/20/18 17:00 Last Resulted: 11/21/18 08:20

Lab Flowsheet Order Details View Encounter Lab and Collection Details

**Encounter**

[View Encounter](#)

**Result Information**

Flag: Abnormal Status: Final result (Collected: 11/20/2018 17:00)



**Kesler-Cribb, Sigrid**

---

**From:** Shapcott, Sandy  
**Sent:** Tuesday, December 11, 2018 1:25 PM  
**Subject:** ARMC Memo Re: Rapid Strep Testing Performance  
**Attachments:** 2018.12.18 Xpress GAS memo.docx

*Sent on behalf of Dr. Kish.*





## Alamance Clinical Lab Notification

TO: Cone Health Alamance Regional Medical and Nursing Staff

FROM: Joshua Kish, MD, FCAP, FASCP - ARMC Clinical Laboratory Medical I

RE: Rapid Strep Testing Performance

DATE: December 11, 2018

<b>What is going to happen:</b>	Point of care rapid strep testing will be removed from the emergency department. The clinical lab will perform the testing by PCR method
<b>Who will be affected:</b>	Testing will now be available to all ARMC patients, not just Emergency Department patients.  The change will impact the ED staff and Lab staff as well as patient
<b>When:</b>	December 18, 2018 at 10am
<b>What you will need to do:</b>	<u>Emergency Department</u> – <ul style="list-style-type: none"><li>• Rapid strep kits will be removed from the Emergency Department</li><li>• New Group A Rapid Strep swabs will be used for specimen</li><li>• Place new order code for testing and submit the sample to the laboratory for testing</li></ul> <p style="text-align: center;"><b>Group A Strep by PCR</b>      LAB8383</p> <u>Laboratory</u> – <ul style="list-style-type: none"><li>• Process and Complete Group A Strep testing from throat swab methodology</li></ul>
<b>Who to contact for assistance:</b>	Jacee Farmer 336-538-7824 Wendy Turner 336-538-7820
<b>Why change is needed:</b>	In order to become compliant with Regulatory Standards regarding testing, the laboratory will begin performing Group A Strep testing from throat swabs. The PCR methodology does not require a reflex culture with results as is required with the current kit being used.
<b>Additional information:</b>	<u>Turn around</u> time will be slightly longer due to the change in workflow methodology. Testing time is 30 minutes. This does not include pre



## Kesler-Cribb, Sigrid

---

**From:** Kish, Joshua <jbkish@auroradx.com>  
**Sent:** Friday, December 07, 2018 9:38 AM  
**To:** Kesler-Cribb, Sigrid  
**Cc:** Turner, Wendy  
**Subject:** RE: [EXTERNAL] - FW: 2018.12.18 Xpress GAS memo.docx

This message was sent securely using Zix®

approved

---

**From:** Kesler-Cribb, Sigrid [mailto:Sigrid.Kesler-Cribb@conehealth.com]  
**Sent:** Friday, December 07, 2018 9:07 AM  
**To:** Kish, Joshua <jbkish@auroradx.com>  
**Cc:** Turner, Wendy <Wendy.Turner@conehealth.com>  
**Subject:** [EXTERNAL] - FW: 2018.12.18 Xpress GAS memo.docx

**WARNING:** This email is from an external source.  
**DO NOT CLICK** on links or attachments unless you recognize the sender and know the content is safe.  
**REPORT** suspicious emails to [Support@AuroraDX.com](mailto:Support@AuroraDX.com) ASAP.

---

This message was sent securely using Zix®

Dr. Kish Please approve memo via email.

Thanks  
Sigrid

---

**From:** Turner, Wendy  
**Sent:** Thursday, December 06, 2018 6:39 PM  
**To:** Kesler-Cribb, Sigrid <[Sigrid.Kesler-Cribb@conehealth.com](mailto:Sigrid.Kesler-Cribb@conehealth.com)>  
**Subject:** RE: 2018.12.18 Xpress GAS memo.docx

ok

---

**From:** Kesler-Cribb, Sigrid  
**Sent:** Thursday, December 06, 2018 6:37 PM  
**To:** Turner, Wendy <[Wendy.Turner@conehealth.com](mailto:Wendy.Turner@conehealth.com)>  
**Subject:** Re: 2018.12.18 Xpress GAS memo.docx

Let remove those two words sig

Get [Outlook for iOS](#)



## Alamance Clinical Lab Notification

TO: Cone Health Alamance Regional Medical and Nursing Staff

FROM: Joshua Kish, MD, FCAP, FASCP - ARMC Clinical Laboratory Medical Director

RE: Rapid Strep Testing Performance

DATE: December 11, 2018

<b>What is going to happen:</b>	Point of care rapid strep testing will be removed from the emergency department. The clinical lab will perform the testing by PCR methodology.
<b>Who will be affected:</b>	<p>Testing will now be available to all ARMC patients, not just Emergency Department patients.</p> <p>The change will impact the ED staff and Lab staff as well as patients.</p>
<b>When:</b>	December 18, 2018 at 10am
<b>What you will need to do:</b>	<p><u>Emergency Department</u> –</p> <ul style="list-style-type: none"> <li>• Rapid strep kits will be removed from the Emergency Department.</li> <li>• New Group A Rapid Strep swabs will be used for specimen collection</li> <li>• Place new order code for testing and submit the sample to the clinical laboratory for testing</li> </ul> <div style="text-align: center; margin: 10px 0;"> <span style="background-color: #d9ead3; padding: 2px 10px;">Group A Strep by PCR</span>      LAB8383         </div> <p><u>Laboratory</u> –</p> <ul style="list-style-type: none"> <li>• Process and Complete Group A Strep testing from throat swabs by PCR methodology</li> </ul>
<b>Who to contact for assistance:</b>	Jacee Farmer 336-538-7824 Wendy Turner 336-538-7820
<b>Why change is needed:</b>	In order to become compliant with Regulatory Standards regarding strep reflex testing, the laboratory will begin performing Group A Strep testing from throat swabs. The PCR methodology does not require a reflex culture with negative results as is required with the current kit being used.
<b>Additional information:</b>	Turn around time will be slightly longer due to the change in workflow and methodology. Testing time is 30 minutes. This does not include processing and handling time.