

 <p>STOP Notification</p>	<h2 style="color: blue;">Addition of INR reference range</h2>	
<p>When:</p>	<p>Tuesday, February 25, 2020</p>	
<p>What?</p>	<p>Cone Health Laboratories will add an INR reference range of 0.8 - 1.2 based off of normal range study collected during 2019 Annual Stago Lot Conversion. The comment; "INR goal varies based on device and disease states" will accompany the INR result.</p>	
<p>Who is Affected:</p>	<p style="text-align: center;">Affected Location(s)</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Alamance Cancer Center <input checked="" type="checkbox"/> High Point Cancer Center <input checked="" type="checkbox"/> Wesley Long Cancer Center <input checked="" type="checkbox"/> Alamance Regional <input checked="" type="checkbox"/> Annie Penn Hospital <input checked="" type="checkbox"/> MedCenter @ High Point <input checked="" type="checkbox"/> MedCenter @ Mebane <input checked="" type="checkbox"/> Moses Cone Hospital <input checked="" type="checkbox"/> Wesley Long Hospital <input checked="" type="checkbox"/> Women's Hospital 	<p style="text-align: center;">Department(s)</p> <ul style="list-style-type: none"> Blood Bank Cytology Flow Cytometry Histology Microbiology Phlebotomy Point Of Care <input checked="" type="checkbox"/> Rapid Response Lab Respiratory Therapy Specimen Processing
<p>Why?</p>	<p>Request by research department to add reference range to INR and add comment for INR therapeutic range.</p>	
<p>What you will need to do to prepare:</p>	<p>The addition of INR reference range will have no effect to laboratory staff. Read over the updated documents: Stago Information Sheet, Cone Health Laboratory Reference Range List, and the Interpreting and Reporting Results section of the STA Compact Max General Procedure.</p>	
<p>Manager / Supervisor Responsibility:</p>	<p style="text-align: center;">Send Post Live Documentation to IT Manager within 5 days of the effective date for test systems marked with an "X"</p>	
	<p><input checked="" type="checkbox"/> Sunquest</p>	<p style="text-align: center;">WindowPath</p>
	<p><input checked="" type="checkbox"/> CHL</p>	<p style="text-align: center;">Instrument / Manual Test</p>
	<p style="text-align: center;">PowerPath</p>	
<p style="text-align: center;">Managers will need to ensure post live documentation is completed.</p>		
<p>Need Help?</p>	<p>Contact your Manager / Supervisor</p>	