

 <p>STOP Notification</p>	<p align="center">Cepheid Xpert® Xpress SARS-Cov-2 COVID-19 Testing Emergency Use Authorization (EUA) Assay</p>							
<p>When:</p>	<p align="center">Monday, April 13, 2020</p>							
<p>What?</p>	<p>Moses Cone will begin COVID-19 Testing on the Cepheid Infinity</p>							
<p>Who is Affected:</p>	<p align="center">Affected Location(s)</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Alamance Cancer Center <input checked="" type="checkbox"/> High Point Cancer Center <input checked="" type="checkbox"/> Wesley Long Cancer Center <input checked="" type="checkbox"/> Alamance Regional <input checked="" type="checkbox"/> Annie Penn Hospital <input checked="" type="checkbox"/> MedCenter @ High Point <input checked="" type="checkbox"/> MedCenter @ Mebane <input checked="" type="checkbox"/> Moses Cone Hospital <input checked="" type="checkbox"/> Wesley Long Hospital Women's Hospital 	<p align="center">Department(s)</p> <ul style="list-style-type: none"> Blood Bank Cytology Flow Cytometry Histology <input checked="" type="checkbox"/> Microbiology Phlebotomy Point Of Care Rapid Response Lab Respiratory Therapy <input checked="" type="checkbox"/> Specimen Processing 						
<p>Why?</p>	<p>Begin in-house COVID-19 testing.</p>							
<p>What you will need to do to prepare:</p>	<p>Review procedure and training materials prior to go-live. Proficiency Testing Survey is SARS-COV-2 shipping date May 18 and Nov. 16 2020. Specimens will need to be evaluated to see if they are to be ran at MC or sent to reference lab. If it is decided to run the sample at MC, the COV19L order will need to be canceled and reordered as the in-house test (SCOV2).</p>							
<p>Manager / Supervisor Responsibility:</p>	<p>Send Post Live Documentation to IT Manager within 5 days of the effective date for test systems marked with an "X"</p> <table border="1" data-bbox="451 1581 1516 1724"> <tr> <td><input checked="" type="checkbox"/> Sunquest</td> <td>WindowPath</td> </tr> <tr> <td><input checked="" type="checkbox"/> CHL</td> <td>Instrument / Manual Test</td> </tr> <tr> <td>PowerPath</td> <td></td> </tr> </table>		<input checked="" type="checkbox"/> Sunquest	WindowPath	<input checked="" type="checkbox"/> CHL	Instrument / Manual Test	PowerPath	
<input checked="" type="checkbox"/> Sunquest	WindowPath							
<input checked="" type="checkbox"/> CHL	Instrument / Manual Test							
PowerPath								
<p>Need Help?</p>	<p align="center">Contact your Manager / Supervisor</p>							