



Current Status: Pending

PolicyStat ID: 8391891



Origination: N/A
Effective: Upon Approval
Final Approved: N/A
Last Revised: N/A
Next Review: 2 years after approval
Owner: Irene Wittkop: Coord, Transfusion Service
Policy Area: Lab - Transfusion Service
References:
Applicability: Sutter Roseville Medical Center

Rotating Plasma Stock

Purpose	The purpose of this procedure is to provide instructions on rotating plasma stock to reduce waste and prevent delays in providing plasma for Emergent support.	
Policy Procedure	<ul style="list-style-type: none"> 4 single units (or an equivalent volume) of liquid plasma (Type A or AB) and 2 single units(or an equivalent volume) of thawed AB plasma will be "reserved for Emergent Use" at all times. Liquid plasma is limited for use during Massive Transfusion Protocol Thawed plasma may be substituted when Liquid Plasma is unavailable Monitoring Emergent Use plasma for release to General Use will be done by Day shift CLS/MLT. Thawed Plasma will be moved from Emergent to General Use when 2 calendar days remain until expiration 	
Step	Action	
1.	Is the thawed plasma type AB or A?	
	If:	Then:
	No	Store for General Use on thawed shelf of Helmer double door refrigerator
	Yes	Proceed to next step
2.	Is the thawed plasma needed for Emergent reserve and are there more than 2 days left on unit until expiration?	
	If:	Then:
	Yes	<ul style="list-style-type: none"> If not already present, attach a blank MTP/Emergent Use Non-RBC tag Store in "Emergent Use Only" section on thawed shelf of Helmer double door refrigerator.
	No	<ul style="list-style-type: none"> Remove the "MTP/Emergent Use Non-RBC" tag. Store in "General Use" section on thawed shelf of Helmer double door refrigerator Thaw replacement AB or A plasma so that there is the equivalent of 4 single units of A plasma (Liquid plasma + thawed plasma) and the equivalent of 2 single units AB plasma available for "Emergent Use" Follow

		labeling and store instructions in "Yes" grid above.	
3.	Has liquid plasma reached date on "Do Not Use Beyond" sticker?		
	If:	Then:	
	No	No additional action needed	
	Yes	<ul style="list-style-type: none"> • Discard product in Biohazard trash • Update Status to DS in Sunquest. Enter REMT as Reason Code • Replace with A or AB thawed plasma, if available use thawed plasma as substitute 	

All revision dates:

Attachments

No Attachments

Approval Signatures

Step Description	Approver	Date
Laboratory Director	Lindsey Westerbeck: Dir, Lab	pending