


In-Service: Manila Tag Implement 9/23/24

JKS



The image shows a sample of a Manila Tag form. On the left side, there is a circular hole with a zip tie. The form contains the following text:

Patient Name: Cttest, Riley
MRN: 56285949
DOB: 09/20/2011
LOC: Riley at IUH RT3EB T3220 P

Patient ABO/Rh: O POS
Product ABO/Rh: O NEG

Product Number: W181324129140 A0
Product Type: E0484 Washed RBC Ped LR IR
Product Expiration: 09/19/2024 09:33
Product Volume: 35 mL
Antigens/Attributes: CMV Neg, Irradiated, Washed,
ResLeu:<5log6

There is a QR code in the top right corner of the form.

Use a Zip Tie for attachment for the manila tag to the unit.

The flat surface of the manila tag should aid in Cerner Bridge scanning for the floor.

Reminders

- Continue to send the top of the Transfusion Document form to surgery and procedural areas.
- Continue to label out-of-hospital locations appropriately with their MRN.
- One may need to remove the strings from the manila tags, and only use the zip tie.
- If antigen typing is necessary, the manila tag for antigen typing **AND** the transfusion document manila tag will be attached. There will be two (2) tags on the antigen negative unit.

If a clinical location cannot scan this Aztec code for transfusion, then continue to send the top of the form per earlier instructions.

- However, we will be monitoring how often this occurs as a process improvement check.
- This update should eliminate the need for this response; however, we may continue in the short-term.