



**CAR-C**  
**2014**  
(CRT.CRTI)

Last Updated:

October 20, 2014



K I T 2 6 7 6 9 1 4 5 2 0 3 6 2

Page 3

Results must be received at the CAP no later than midnight, Central Time by the due date below:

CAP # 1717201 - 01 SEQ # 01

Products: CRT  
OAKWOOD SOUTHSORE MEDICAL CENTER  
RAHIMA SPANTA

<b>Myoglobin - Quantitative, ng/mL or µg/L</b>			
Method Code not required	Instrument Code	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	Exception Code <input type="radio"/> 11 <input type="radio"/> 22 <input type="radio"/> 33
CR-11		CR-12	
<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> .	Interpretation (optional) <input type="radio"/> 110 Negative <input type="radio"/> 111 Positive	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> .	Interpretation (optional) <input type="radio"/> 110 Negative <input type="radio"/> 111 Positive

<b>Myoglobin - Qualitative</b>			
Method Code not required	Instrument Code	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	Exception Code <input type="radio"/> 11 <input type="radio"/> 33
CR-11		CR-12	
<input type="radio"/> 110 Negative <input type="radio"/> 111 Positive		<input type="radio"/> 110 Negative <input type="radio"/> 111 Positive	

<b>Troponin I - Quantitative, ng/mL or µg/L</b>			
Method Code	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	Instrument Code not required	Exception Code <input type="radio"/> 11 <input type="radio"/> 22 <input type="radio"/> 33
CR-11		CR-12	
<input type="text"/> <input type="text"/> . <input type="text"/> <input type="text"/>	Interpretation (optional) <input type="radio"/> 110 Negative <input type="radio"/> 111 Positive	<input type="text"/> <input type="text"/> . <input type="text"/> <input type="text"/>	Interpretation (optional) <input type="radio"/> 110 Negative <input type="radio"/> 111 Positive
<input type="radio"/> (4) Fill if less than		<input type="radio"/> (4) Fill if less than	

<b>Troponin I - Qualitative</b>			
Method Code	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	Instrument Code not required	Exception Code <input type="radio"/> 11 <input type="radio"/> 33
CR-11		CR-12	
<input type="radio"/> 110 Negative <input type="radio"/> 111 Positive		<input type="radio"/> 110 Negative <input type="radio"/> 111 Positive	

27172

